

***Global Strategy for Asthma Management and Prevention (2009 update)***  
**Publications Reviewed by the GINA Science Committee**

The process to produce this 2009 update included a Pub Med search using search fields established by the Committee: 1) *Asthma, All Fields, Clinical Trial, only items with abstracts, human*; and 2) *Asthma AND systematic, All Fields, only items with abstracts, human*.

1. Aballea S, Cure S, Vogelmeier C, Wiren A. A retrospective database study comparing treatment outcomes and cost associated with choice of fixed-dose inhaled corticosteroid/long-acting beta-agonists for asthma maintenance treatment in Germany. *Int J Clin Pract* 2008;62:1870-9.
2. Adachi M, Aizawa H, Ishihara K, Ohta K, Sano Y, Taniguchi H, Nakashima M. Comparison of salmeterol/fluticasone propionate (FP) combination with FP+sustained release theophylline in moderate asthma patients. *Respir Med* 2008;102:1055-64.
3. Adgate JL, Ramachandran G, Cho SJ, Ryan AD, Grengs J. Allergen levels in inner city homes: baseline concentrations and evaluation of intervention effectiveness. *J Expo Sci Environ Epidemiol* 2008;18:430-40.
4. Agondi RC, Machado ML, Kalil J, Giavina-Bianchi P. Intranasal corticosteroid administration reduces nonspecific bronchial hyperresponsiveness and improves asthma symptoms. *J Asthma* 2008;45:754-7.
5. Al-Jahdali HH, Al-Hajjaj MS, Alanezi MO, Zeitoni MO, Al-Tasan TH. Asthma control assessment using asthma control test among patients attending 5 tertiary care hospitals in Saudi Arabia. *Saudi Med J* 2008;29:714-7.
6. Alves Rde S, Vianna Fde A, Pereira CA. Clinical phenotypes of severe asthma. *J Bras Pneumol* 2008;34:646-53.
7. Alvim CG, Picinin IM, Camargos PM, Colosimo E, Lasmar LB, Ibiapina CC, Fontes MJ, Andrade CR. Quality of life in asthmatic adolescents: an overall evaluation of disease control. *J Asthma* 2009;46:186-90.
8. Anderson GP. Endotyping asthma: new insights into key pathogenic mechanisms in a complex, heterogeneous disease. *Lancet* 2008;372:1107-19.
9. Anderson SD, Charlton B, Weiler JM, Nichols S, Spector SL, Pearlman DS. Comparison of mannitol and methacholine to predict exercise-induced bronchoconstriction and a clinical diagnosis of asthma. *Respir Res* 2009;10:4.
10. Andrade CR, Camargos PA, Ibiapina Cda C, Lasmar LM. Basal cortisol in asthmatics on two different doses of fluticasone propionate. *J Pediatr (Rio J)* 2008;84:373-6.
11. Anolik R, Nathan RA, Schenkel E, Danzig MR, Gates D, Varghese S. Intranasal mometasone furoate alleviates the ocular symptoms associated with seasonal allergic rhinitis: results of a post hoc analysis. *Int Arch Allergy Immunol* 2008;147:323-30.
12. Araujo BB, Dolhnikoff M, Silva LF, Elliot J, Lindeman JH, Ferreira DS, Mulder A, Gomes HA, Fernezlian SM, James A, Mauad T. Extracellular matrix components and regulators in the airway smooth muscle in asthma. *Eur Respir J* 2008;32:61-9.
13. Asher MI, Stewart AW, Clayton T, Crane J, Ellwood PI, Mackay R, Mitchell E, Moyes C, Pattemore PK, Pearce N. Has the prevalence and severity of symptoms of asthma changed among children in New Zealand? ISAAC Phase Three. *N Z Med J* 2008;121:52-63.
14. Aysola RS, Hoffman EA, Gierada D, Wenzel S, Cook-Granroth J, Tarsi J, Zheng J, Schechtman KB, Ramkumar TP, Cochran R, Xueping E, Christie C, Newell J, Fain S, Altes TA,

- Castro M. Airway remodeling measured by multidetector CT is increased in severe asthma and correlates with pathology. *Chest* 2008;134:1183-91.
15. Azuma N, Katada Y, Kobayashi M, Kojima M, Nakajima Y, Shibano M, Tomita H, Yamanaka T, Harada Y, Ishii T, Saeki Y. [Clinical pathway for management of patients with acute asthma attack]. *Arerugi* 2008;57:1155-65.
  16. Babu KS, Gadzik F, Holgate ST. Absence of respiratory effects with ivabradine in patients with asthma. *Br J Clin Pharmacol* 2008;66:96-101.
  17. Bacharier LB, Phillips BR, Zeiger RS, Szeffler SJ, Martinez FD, Lemanske RF, Jr., Sorkness CA, Bloomberg GR, Morgan WJ, Paul IM, Guilbert T, Krawiec M, Covar R, Larsen G, Mellon M, Moss MH, Chinchilli VM, Taussig LM, Strunk RC. Episodic use of an inhaled corticosteroid or leukotriene receptor antagonist in preschool children with moderate-to-severe intermittent wheezing. *J Allergy Clin Immunol* 2008;122:1127-1135 e8.
  18. Badiola C, Badia X, Sastre J, Olaguibel JM, Lopez-Vina A, Vega JM, Picado C. [Assessment of the simplified versions of the Asthma Control Questionnaire]. *Med Clin (Barc)* 2008;131:326-32.
  19. Bailey W, Castro M, Matz J, White M, Dransfield M, Yancey S, Ortega H. Asthma exacerbations in African Americans treated for 1 year with combination fluticasone propionate and salmeterol or fluticasone propionate alone. *Curr Med Res Opin* 2008;24:1669-82.
  20. Bakhireva LN, Schatz M, Jones KL, Chambers CD. Asthma control during pregnancy and the risk of preterm delivery or impaired fetal growth. *Ann Allergy Asthma Immunol* 2008;101:137-43.
  21. Baptist AP, Khan FI, Wang Y, Ager J. Exhaled nitric oxide measurements in hospitalized children with asthma. *J Asthma* 2008;45:670-4.
  22. Barnes CS, Kennedy K, Gard L, Forrest E, Johnson L, Pacheco F, Hu F, Amado M, Portnoy JM. The impact of home cleaning on quality of life for homes with asthmatic children. *Allergy Asthma Proc* 2008;29:197-204.
  23. Barreto M, Villa MP, Olita C, Martella S, Ciabattoni G, Montuschi P. 8-Isoprostane in exhaled breath condensate and exercise-induced bronchoconstriction in asthmatic children and adolescents. *Chest* 2009;135:66-73.
  24. Bateman ED, Bousquet J, Busse WW, Clark TJ, Gul N, Gibbs M, Pedersen S. Stability of asthma control with regular treatment: an analysis of the Gaining Optimal Asthma control (GOAL) study. *Allergy* 2008;63:932-8.
  25. Bateman ED, Cheung D, Lapa e Silva J, Gohring UM, Schafer M, Engelstatter R. Randomized comparison of ciclesonide 160 and 640 microg/day in severe asthma. *Pulm Pharmacol Ther* 2008;21:489-98.
  26. Bede O, Nagy D, Suranyi A, Horvath I, Szlavik M, Gyurkovits K. Effects of magnesium supplementation on the glutathione redox system in atopic asthmatic children. *Inflamm Res* 2008;57:279-86.
  27. Behera D, Kaur S, Gupta D, Verma SK. Avoidance of allergens by the patients with bronchial asthma. *J Assoc Physicians India* 2008;56:325-8.
  28. Belle SH, Chapman W, Courcoulas AP, Flum DR, Gagner M, Inabnet WB, King WC, Mitchell JE, Patterson EJ, Thirlby R, Wolfe BM, Yanovski SZ. Relationship of body mass index with demographic and clinical characteristics in the Longitudinal Assessment of Bariatric Surgery (LABS). *Surg Obes Relat Dis* 2008;4:474-80.
  29. Bennett AV, Lozano P, Richardson LP, McCauley E, Katon WJ. Identifying high-risk asthma with utilization data: a revised HEDIS definition. *Am J Manag Care* 2008;14:450-6.

30. Bereznicki BJ, Peterson GM, Jackson SL, Walters EH, Fitzmaurice KD, Gee PR. Data-mining of medication records to improve asthma management. *Med J Aust* 2008;189:21-5.
31. Bereznicki BJ, Peterson GM, Jackson SL, Walters H, Fitzmaurice K, Gee P. Pharmacist-initiated general practitioner referral of patients with suboptimal asthma management. *Pharm World Sci* 2008;30:869-75.
32. Beyhun NE, Soyer OU, Kuyucu S, Sapan N, Altintas DU, Yuksel H, Anlar FY, Orhan F, Cevit O, Cokugras H, Boz AB, Yazicioglu M, Tanac R, Sekerel BE. A multi-center survey of childhood asthma in Turke--I: the cost and its determinants. *Pediatr Allergy Immunol* 2009;20:72-80.
33. Bhalla RK, Watson G, Taylor W, Jones AS, Roland NJ. Prospective, randomized cross-over trial to assess the ability of a dry-powder inhaler to reverse the local side effects of pressurized metered-dose inhalers. *J Asthma* 2008;45:814-9.
34. Birnbaum HG, Ivanova JI, Yu AP, Hsieh M, Seal B, Emani S, Rosiello R, Colice GL. Asthma severity categorization using a claims-based algorithm or pulmonary function testing. *J Asthma* 2009;46:67-72.
35. Bisgaard H, Flores-Nunez A, Goh A, Azimi P, Halkas A, Malice MP, Marchal JL, Dass SB, Reiss TF, Knorr BA. Study of montelukast for the treatment of respiratory symptoms of post-respiratory syncytial virus bronchiolitis in children. *Am J Respir Crit Care Med* 2008;178:854-60.
36. Bockelbrink A, Willich SN, Dirzus I, Reich A, Lau S, Wahn U, Keil T. Environmental noise and asthma in children: sex-specific differences. *J Asthma* 2008;45:770-3.
37. Boers D, van Amelsvoort L, Colosio C, Corsini E, Fustinoni S, Campo L, Bosetti C, La Vecchia C, Vergieva T, Tarkowski M, Liesivuori J, Steerenberg P, van Loveren H. Asthmatic symptoms after exposure to ethylenebisdithiocarbamates and other pesticides in the Europit field studies. *Hum Exp Toxicol* 2008;27:721-7.
38. Boskabady MH, Rezaeitalab F, Rahimi N, Dehnavi D. Improvement in symptoms and pulmonary function of asthmatic patients due to their treatment according to the Global Strategy for Asthma Management (GINA). *BMC Pulm Med* 2008;8:26.
39. Boulet LP, Dorval E, Labrecque M, Turgeon M, Montague T, Thivierge RL. Towards Excellence in Asthma Management: final report of an eight-year program aimed at reducing care gaps in asthma management in Quebec. *Can Respir J* 2008;15:302-10.
40. Bravata DM, Gienger AL, Holty JE, Sundaram V, Khazeni N, Wise PH, McDonald KM, Owens DK. Quality improvement strategies for children with asthma: a systematic review. *Arch Pediatr Adolesc Med* 2009;163:572-81.
41. Breton MC, Beauchesne MF, Lemiere C, Rey E, Forget A, Blais L. Risk of perinatal mortality associated with asthma during pregnancy. *Thorax* 2009;64:101-6.
42. Brooten D, Youngblut JM, Royal S, Cohn S, Lobar SL, Hernandez L. Outcomes of an asthma program: Healthy Children, Healthy Homes. *Pediatr Nurs* 2008;34:448-55.
43. Brouwer AF, Brand PL. Asthma education and monitoring: what has been shown to work. *Paediatr Respir Rev* 2008;9:193-9; quiz 199-200.
44. Bruce C, Chan HP, Mueller L, Thomas PS, Yates DH. Effect of hydrofluoroalkane-ethanol inhalers on estimated alcohol levels in asthmatic subjects. *Respirology* 2009;14:112-6.
45. Bufe A, Eberle P, Franke-Beckmann E, Funck J, Kimmig M, Klimek L, Knecht R, Stephan V, Tholstrup B, Weisshaar C, Kaiser F. Safety and efficacy in children of an SQ-standardized grass allergen tablet for sublingual immunotherapy. *J Allergy Clin Immunol* 2009;123:167-173 e7.

46. Burney P, Potts J, Makowska J, Kowalski M, Phillips J, Gnatiuc L, Shaheen S, Joos G, Van Cauwenberge P, van Zele T, Verbruggen K, van Durme Y, Derudder I, Wohrl S, Godnic-Cvar J, Salameh B, Skadhauge L, Thomsen G, Zuberbier T, Bergmann KC, Heinzerling L, Renz H, Al-Fakhri N, Kosche B, Hildenberg A, Papadopoulos NG, Xepapadaki P, Zannikos K, Gjomarkaj M, Bruno A, Pace E, Bonini S, Bresciani M, Gramiccioni C, Fokkens W, Weersink EJ, Carlsen KH, Bakkeheim E, Loureiro C, Villanueva CM, Sanjuas C, Zock JP, Lundback B, Janson C. A case-control study of the relation between plasma selenium and asthma in European populations: a GAL2EN project. *Allergy* 2008;63:865-71.
47. Busse WW, Israel E, Nelson HS, Baker JW, Charous BL, Young DY, Vexler V, Shames RS. Daclizumab improves asthma control in patients with moderate to severe persistent asthma: a randomized, controlled trial. *Am J Respir Crit Care Med* 2008;178:1002-8.
48. Camargo CA, Jr., Reed CR, Ginde AA, Clark S, Emond SD, Radeos MS. A prospective multicenter study of written action plans among emergency department patients with acute asthma. *J Asthma* 2008;45:532-8.
49. Campbell IA, Douglas JG, Francis RM, Prescott RJ, Reid DM. Hormone replacement therapy (HRT) or etidronate for osteoporosis in postmenopausal asthmatics on glucocorticoids: a randomised factorial trial. *Scott Med J* 2009;54:21-5.
50. Campbell JD, Borish L, Haselkorn T, Rasouliyan L, Lee JH, Wenzel SE, Sullivan SD. The response to combination therapy treatment regimens in severe/difficult-to-treat asthma. *Eur Respir J* 2008;32:1237-42.
51. Canonica GW, Fumagalli F, Guerra L, Baiardini I, Compalati E, Rogkakou A, Massacane P, Gamalero C, Riccio AM, Scordamaglia A, Passalacqua G. Levocetirizine in persistent allergic rhinitis: continuous or on-demand use? A pilot study. *Curr Med Res Opin* 2008;24:2829-39.
52. Carroll CL, Schramm CM, Zucker AR. Severe exacerbations in children with mild asthma: characterizing a pediatric phenotype. *J Asthma* 2008;45:513-7.
53. Caruso JF, Hamill JL, Yamauchi M, Saito K, Cook TD, Mercado DR. Temporal strength changes from resistance exercise and albuterol on unloaded muscle. *J Strength Cond Res* 2008;22:1156-63.
54. Castro-Rodriguez JA, Rodrigo GJ. Efficacy of inhaled corticosteroids in infants and preschoolers with recurrent wheezing and asthma: a systematic review with meta-analysis. *Pediatrics* 2009;123:e519-25.
55. Cates CJ, Cates MJ. Regular treatment with salmeterol for chronic asthma: serious adverse events. *Cochrane Database Syst Rev* 2008:CD006363.
56. Cetinkaya F, Kayiran P, Memioglu N, Tarim OF, Eren N, Erdem E. Effects of nebulized corticosteroids therapy on hypothalamic-pituitary-adrenal axis in young children with recurrent or persistent wheeze. *Pediatr Allergy Immunol* 2008;19:773-6.
57. Chang AB, Clark R, Sloots TP, Stone DG, Petsky HL, Thearle D, Champion AA, Wheeler C, Acworth JP. A 5- versus 3-day course of oral corticosteroids for children with asthma exacerbations who are not hospitalised: a randomised controlled trial. *Med J Aust* 2008;189:306-10.
58. Chang J, Delfino RJ, Gillen D, Tjoa T, Nickerson B, Cooper D. Repeated respiratory hospital encounters among children with asthma and residential proximity to traffic. *Occup Environ Med* 2009;66:90-8.
59. Chan-Yeung M, Hegele RG, Dimich-Ward H, Ferguson A, Schulzer M, Chan H, Watson W, Becker A. Early environmental determinants of asthma risk in a high-risk birth cohort. *Pediatr Allergy Immunol* 2008;19:482-9.

60. Chatterjee R, Batra J, Das S, Sharma SK, Ghosh B. Genetic association of acidic mammalian chitinase with atopic asthma and serum total IgE levels. *J Allergy Clin Immunol* 2008;122:202-8, 208 e1-7.
61. Che XW, Zhang Y, Wang H, Wang W. Effect of ligustrazine injection on levels of interleukin-4 and interferon-gamma in patients with bronchial asthma. *Chin J Integr Med* 2008;14:217-20.
62. Chen H, Johnson CA, Haselkorn T, Lee JH, Israel E. Subspecialty differences in asthma characteristics and management. *Mayo Clin Proc* 2008;83:786-93.
63. Chen ZG, Li M, Chen H, Chen YF, Chen FH, Ji JZ. [Efficacy of pulmicort suspension plus salbutamol and ipratropium bromide for management of acute asthma exacerbation in children: a comparative study]. *Nan Fang Yi Ke Da Xue Xue Bao* 2008;28:470-2.
64. Cheng SC. [A concept analysis of self-management of asthma in children]. *Hu Li Za Zhi* 2008;55:73-8.
65. Chervinsky P, Baker J, Bensch G, Parasuraman B, Boggs R, Martin P, O'Dowd L. Patient-reported outcomes in adults with moderate to severe asthma after use of budesonide and formoterol administered via 1 pressurized metered-dose inhaler. *Ann Allergy Asthma Immunol* 2008;101:463-73.
66. Choi JW, Park CS, Hwang M, Nam HY, Chang HS, Park SG, Han BG, Kimm K, Kim HL, Oh B, Kim Y. A common intronic variant of CXCR3 is functionally associated with gene expression levels and the polymorphic immune cell responses to stimuli. *J Allergy Clin Immunol* 2008;122:1119-1126 e7.
67. Chylack LT, Jr., Gross GN, Pedinoff A. A randomized, controlled trial to investigate the effect of ciclesonide and beclomethasone dipropionate on eye lens opacity. *J Asthma* 2008;45:893-902.
68. Clark NM, Cabana M, Kaciroti N, Gong M, Sleeman K. Long-term outcomes of physician peer teaching. *Clin Pediatr (Phila)* 2008;47:883-90.
69. Cohen J, Douma WR, ten Hacken NH, Vonk JM, Oudkerk M, Postma DS. Ciclesonide improves measures of small airway involvement in asthma. *Eur Respir J* 2008;31:1213-20.
70. Cope SF, Ungar WJ, Glazier RH. International differences in asthma guidelines for children. *Int Arch Allergy Immunol* 2009;148:265-78.
71. Corbo GM, Forastiere F, De Sario M, Brunetti L, Bonci E, Bugiani M, Chellini E, La Grutta S, Migliore E, Pistelli R, Rusconi F, Russo A, Simoni M, Talassi F, Galassi C. Wheeze and asthma in children: associations with body mass index, sports, television viewing, and diet. *Epidemiology* 2008;19:747-55.
72. Covar RA, Szeffler SJ, Zeiger RS, Sorkness CA, Moss M, Mauger DT, Boehmer SJ, Strunk RC, Martinez FD, Taussig LM. Factors associated with asthma exacerbations during a long-term clinical trial of controller medications in children. *J Allergy Clin Immunol* 2008;122:741-747 e4.
73. Cowie RL, Conley DP, Underwood MF, Reader PG. A randomised controlled trial of the Buteyko technique as an adjunct to conventional management of asthma. *Respir Med* 2008;102:726-32.
74. Craig BM, Kraus CK, Chewing BA, Davis JE. Quality of care for older adults with chronic obstructive pulmonary disease and asthma based on comparisons to practice guidelines and smoking status. *BMC Health Serv Res* 2008;8:144.
75. Crawford B, Monz B, Hohlfeld J, Roche N, Rubin B, Magnussen H, Nivens C, Ghafouri M, McDonald J, Tetzlaff K. Development and validation of a cough and sputum assessment questionnaire. *Respir Med* 2008;102:1545-55.

76. Crisan M, Nanulescu M, Panta PC, Popa M, Farcau M, Muresan M, Ichim G. [The effects on growth velocity of inhaled corticosteroids therapy in children with asthma]. *Pneumologia* 2008;57:158-60, 162, 164.
77. Dal Negro RW, Borderias L, Zhang Q, Fan T, Sazonov V, Guilera M, Taylor SD. Rates of asthma attacks in patients with previously inadequately controlled mild asthma treated in clinical practice with combination drug therapy: an exploratory post-hoc analysis. *BMC Pulm Med* 2009;9:10.
78. Daoud A, Gloria CJ, Tanningco G, Hammerschlag MR, Weiss S, Gelling M, Roblin PM, Joks R. Minocycline treatment results in reduced oral steroid requirements in adult asthma. *Allergy Asthma Proc* 2008;29:286-94.
79. Das BP, Sethi A. Recent trends and directions in the rationalization of pharmacotherapy of bronchial asthma: probing for alternatives. *Kathmandu Univ Med J (KUMJ)* 2006;4:368-78.
80. Davies G, Paton JY, Beaton SJ, Young D, Lenney W. Children admitted with acute wheeze/asthma during November 1998-2005: a national UK audit. *Arch Dis Child* 2008;93:952-8.
81. de Bot CM, Moed H, Berger MY, Roder E, de Groot H, de Jongste JC, van Wijk RG, van der Wouden JC. Randomized double-blind placebo-controlled trial of sublingual immunotherapy in children with house dust mite allergy in primary care: study design and recruitment. *BMC Fam Pract* 2008;9:59.
82. de Jongste JC, Carraro S, Hop WC, Baraldi E. Daily telemonitoring of exhaled nitric oxide and symptoms in the treatment of childhood asthma. *Am J Respir Crit Care Med* 2009;179:93-7.
83. de Vries U, Brandes I, Krauth C, Petermann F. [Patient education in pulmonary rehabilitation: results of an implementation study]. *Gesundheitswesen* 2008;70:572-81.
84. de Wit M, Gennings C, Zilberberg M, Burnham EL, Moss M, Balster RL. Drug withdrawal, cocaine and sedative use disorders increase the need for mechanical ventilation in medical patients. *Addiction* 2008;103:1500-8.
85. Delclaux C, Sembach N, Claessens YE, Dolbeau G, Chevalier-Bidaud B, Renaud B, Allo JC, Zerah-Lancner F, Davido A, Dinh-Xuan AT. Offline exhaled nitric oxide in emergency department and subsequent acute asthma control. *J Asthma* 2008;45:867-73.
86. Delclos GL, Gimeno D, Arif AA, Benavides FG, Zock JP. Occupational exposures and asthma in health-care workers: comparison of self-reports with a workplace-specific job exposure matrix. *Am J Epidemiol* 2009;169:581-7.
87. Del-Rio-Navarro BE, Ito-Tsuchiya FM, Berber A, Zepeda-Ortega B, Sienna-Monge JJ, Garcia-Almaraz R, Baeza-Bacab M. Study of the relationship between acetaminophen and asthma in Mexican children aged 6 to 7 years in 3 Mexican cities using ISAAC methodology. *J Investig Allergol Clin Immunol* 2008;18:194-201.
88. Demir A, Joseph L, Becklake MR. Work-related asthma in Montreal, Quebec: population attributable risk in a community-based study. *Can Respir J* 2008;15:406-12.
89. Denning DW, O'Driscoll BR, Powell G, Chew F, Atherton GT, Vyas A, Miles J, Morris J, Niven RM. Randomized controlled trial of oral antifungal treatment for severe asthma with fungal sensitization: The Fungal Asthma Sensitization Trial (FAST) study. *Am J Respir Crit Care Med* 2009;179:11-8.
90. Dharmage SC, Erbas B, Jarvis D, Wjst M, Raheison C, Norback D, Heinrich J, Sunyer J, Svanes C. Do childhood respiratory infections continue to influence adult respiratory morbidity? *Eur Respir J* 2009;33:237-44.

91. Diez Jde M, Barcina C, Munoz M, Leal M. Control of persistent asthma in Spain: associated factors. *J Asthma* 2008;45:740-6.
92. Dixon AE, Raymond DM, Suratt BT, Bourassa LM, Irvin CG. Lower airway disease in asthmatics with and without rhinitis. *Lung* 2008;186:361-8.
93. Doboszynska A, Swietlik E. Asthma management at primary care level: symptoms and treatment of 3305 patients with asthma diagnosed by a family physician. *J Physiol Pharmacol* 2008;59 Suppl 6:231-41.
94. Donohue JF, Hanania NA, Ciubotaru RL, Noe L, Pasta DJ, Schaefer K, Claus R, Andrews WT, Roach J. Comparison of levalbuterol and racemic albuterol in hospitalized patients with acute asthma or COPD: a 2-week, multicenter, randomized, open-label study. *Clin Ther* 2008;30 Spec No:989-1002.
95. D'Silva L, Gafni A, Thabane L, Jayaram L, Hassack P, Hargreave FE, Nair P. Cost analysis of monitoring asthma treatment using sputum cell counts. *Can Respir J* 2008;15:370-4.
96. Ducharme FM, Lemire C, Noya FJ, Davis GM, Alos N, Leblond H, Savdie C, Collet JP, Khomenko L, Rivard G, Platt RW. Preemptive use of high-dose fluticasone for virus-induced wheezing in young children. *N Engl J Med* 2009;360:339-53.
97. Duong M, Cockcroft D, Boulet LP, Ahmed T, Iverson H, Atkinson DC, Stahl EG, Watson R, Davis B, Milot J, Gauvreau GM, O'Byrne PM. The effect of IVX-0142, a heparin-derived hypersulfated disaccharide, on the allergic airway responses in asthma. *Allergy* 2008;63:1195-201.
98. Edin HM, Andersen LB, Schoaf L, Scott-Wilson CA, Ho SY, Ortega HG. Effects of fluticasone propionate and salmeterol hydrofluoroalkane inhalation aerosol on asthma-related quality of life. *Ann Allergy Asthma Immunol* 2009;102:323-7.
99. Ehnhage A, Olsson P, Kolbeck KG, Skedinger M, Dahlen B, Alenius M, Stjarne P. Functional endoscopic sinus surgery improved asthma symptoms as well as PEFr and olfaction in patients with nasal polyposis. *Allergy* 2009;64:762-9.
100. Eneli IU, Skybo T, Camargo CA, Jr. Weight loss and asthma: a systematic review. *Thorax* 2008;63:671-6.
101. Erin EM, Zacharasiewicz AS, Nicholson GC, Tan AJ, Neighbour H, Engelstatter R, Hellwig M, Kon OM, Barnes PJ, Hansel TT. Rapid effect of inhaled ciclesonide in asthma: a randomized, placebo-controlled study. *Chest* 2008;134:740-5.
102. Erlewyn-Lajeunesse MD, Hunt LP, Pohunek P, Dobson SJ, Kochhar P, Warner JA, Warner JO. Bronchoalveolar lavage MMP-9 and TIMP-1 in preschool wheezers and their relationship to persistent wheeze. *Pediatr Res* 2008;64:194-9.
103. Esposito S, Gasparini C, Martelli A, Zenga A, Tremolati E, Varin E, Marseglia GL, Fiocchi A, Principi N. Safe administration of an inactivated virosomal adjuvanted influenza vaccine in asthmatic children with egg allergy. *Vaccine* 2008;26:4664-8.
104. Esposito S, Pelucchi C, Tel F, Chiarelli G, Sabatini C, Semino M, Marseglia GL, De Mattia D, Principi N. Factors conditioning effectiveness of a reminder/recall system to improve influenza vaccination in asthmatic children. *Vaccine* 2009;27:633-5.
105. Farber HJ, Knowles SB, Brown NL, Caine L, Luna V, Qian Y, Lavori P, Wilson SR. Secondhand tobacco smoke in children with asthma: sources of and parental perceptions about exposure in children and parental readiness to change. *Chest* 2008;133:1367-74.
106. Ferraz E, Borges MC, Vianna EO. Influence of nocturnal asthma on chronotype. *J Asthma* 2008;45:911-5.

107. Fisher EB, Strunk RC, Highstein GR, Kelley-Sykes R, Tarr KL, Trinkaus K, Musick J. A randomized controlled evaluation of the effect of community health workers on hospitalization for asthma: the asthma coach. *Arch Pediatr Adolesc Med* 2009;163:225-32.
108. Flapper BC, Duiverman EJ, Gerritsen J, Postema K, van der Schans CP. Happiness to be gained in paediatric asthma care. *Eur Respir J* 2008;32:1555-62.
109. Foden J, Hand CH. Does use of a corticosteroid/long-acting beta-agonist combination inhaler increase adherence to inhaled corticosteroids? *Prim Care Respir J* 2008;17:246-7.
110. Foliaki S, Annesi-Maesano I, Tuuau-Potoi N, Waqatakirewa L, Cheng S, Douwes J, Pearce N. Risk factors for symptoms of childhood asthma, allergic rhinoconjunctivitis and eczema in the Pacific: an ISAAC Phase III study. *Int J Tuberc Lung Dis* 2008;12:799-806.
111. Franco R, Nascimento HF, Cruz AA, Santos AC, Souza-Machado C, Ponte EV, Souza-Machado A, Rodrigues LC, Barreto ML. The economic impact of severe asthma to low-income families. *Allergy* 2009;64:478-83.
112. Frey U, Suki B. Complexity of chronic asthma and chronic obstructive pulmonary disease: implications for risk assessment, and disease progression and control. *Lancet* 2008;372:1088-99.
113. Fritscher LG, Rodrigues MT, Zamel N, Chapman KR. The effect of montelukast on exhaled nitric oxide of alveolar and bronchial origin in inhaled corticosteroid-treated asthma. *Respir Med* 2009;103:296-300.
114. Furgal M, Nowobilski R, Pulka G, Polczyk R, de Barbaro B, Nizankowska-Mogilnicka E, Szczeklik A. Dyspnea is related to family functioning in adult asthmatics. *J Asthma* 2009;46:280-3.
115. Furuya ME, Gonzalez-Martinez F, Vargas MH, Miranda-Novales MG, Bernaldez-Rios R, Zuniga-Vazquez G. Guidelines for diagnosing and treating pulmonary infiltrates in children with acute leukaemia: impact of timely decisions. *Acta Paediatr* 2008;97:928-34.
116. Galbreath AD, Smith B, Wood PR, Inscore S, Forkner E, Vazquez M, Fallot A, Ellis R, Peters JJ. Assessing the value of disease management: impact of 2 disease management strategies in an underserved asthma population. *Ann Allergy Asthma Immunol* 2008;101:599-607.
117. Gamus D, Kokia I. [Complementary medicine in treatment of asthma and respiratory tract infections]. *Harefuah* 2008;147:777-8, 838.
118. Garcia E, Aristizabal G, Vasquez C, Rodriguez-Martinez CE, Sarmiento OL, Satizabal CL. Prevalence of and factors associated with current asthma symptoms in school children aged 6-7 and 13-14 yr old in Bogota, Colombia. *Pediatr Allergy Immunol* 2008;19:307-14.
119. Garcia-Marcos L, Batlles-Garrido J, Blanco-Quiros A, Garcia-Hernandez G, Guillen-Grima F, Gonzalez-Diaz C, Garcia-Merino A, Arnedo-Pena A, Busquets-Monge RM, Morales-Suarez-Varela M, Lopez-Silvarrey-Varela A, Garcia-Andoin N. Influence of two different geo-climatic zones on the prevalence and time trends of asthma symptoms among Spanish adolescents and schoolchildren. *Int J Biometeorol* 2009;53:53-60.
120. Garcia-Vega Y, Rodriguez-Perez J, Bermudez-Badell C, Blanco-Garces E, Valenzuela-Silva C, Lopez-Saura P, Bello-Rivero I. Immunoglobulin E-dependent regulation of the CCR3 chemokine receptor by interferon-gamma in atopic asthmatics. *Int Arch Allergy Immunol* 2009;148:219-27.
121. Gehring U, Strikwold M, Schram-Bijkerk D, Weinmayr G, Genuneit J, Nagel G, Wickens K, Siebers R, Crane J, Doekes G, Di Domenicantonio R, Nilsson L, Priftanji A, Sandin A, El-Sharif N, Strachan D, van Hage M, von Mutius E, Brunekreef B. Asthma and allergic symptoms in relation to house dust endotoxin: Phase Two of the International Study on Asthma and Allergies in Childhood (ISAAC II). *Clin Exp Allergy* 2008;38:1911-20.

122. Gelb AF, Karpel J, Wise RA, Cassino C, Johnson P, Conoscenti CS. Bronchodilator efficacy of the fixed combination of ipratropium and albuterol compared to albuterol alone in moderate-to-severe persistent asthma. *Pulm Pharmacol Ther* 2008;21:630-6.
123. Gelb AF, Taylor CF, Shinar CM, Gutierrez CA, Zamel N. Effect of fluticasone 250 microg/salmeterol 50 microg and montelukast on exhaled nitric oxide in asthmatic patients. *Can Respir J* 2008;15:193-8.
124. Gerald LB, Gerald JK, Gibson L, Patel K, Zhang S, McClure LA. Changes in environmental tobacco smoke exposure and asthma morbidity among urban school children. *Chest* 2009;135:911-6.
125. Gerald LB, McClure LA, Mangan JM, Harrington KF, Gibson L, Erwin S, Atchison J, Grad R. Increasing adherence to inhaled steroid therapy among schoolchildren: randomized, controlled trial of school-based supervised asthma therapy. *Pediatrics* 2009;123:466-74.
126. Gibson PG. Using fractional exhaled nitric oxide to guide asthma therapy: design and methodological issues for Asthma Treatment Algorithm studies. *Clin Exp Allergy* 2009;39:478-90.
127. Glezen WP. Universal influenza vaccination and live attenuated influenza vaccination of children. *Pediatr Infect Dis J* 2008;27:S104-9.
128. Godard P, Greillier P, Pigearias B, Nachbaur G, Desfougeres JL, Attali V. Maintaining asthma control in persistent asthma: comparison of three strategies in a 6-month double-blind randomised study. *Respir Med* 2008;102:1124-31.
129. Goodrich GG, Goodman PH, Budhecha SK, Pritsos CA. Functional polymorphism of detoxification gene NQO1 predicts intensity of empirical treatment of childhood asthma. *Mutat Res* 2009;674:55-61.
130. Gorelick M, Scribano PV, Stevens MW, Schultz T, Shults J. Predicting need for hospitalization in acute pediatric asthma. *Pediatr Emerg Care* 2008;24:735-44.
131. Greenberg RA, Kerby G, Roosevelt GE. A comparison of oral dexamethasone with oral prednisone in pediatric asthma exacerbations treated in the emergency department. *Clin Pediatr (Phila)* 2008;47:817-23.
132. Guh DP, Zhang W, Bansback N, Amarsi Z, Birmingham CL, Anis AH. The incidence of co-morbidities related to obesity and overweight: a systematic review and meta-analysis. *BMC Public Health* 2009;9:88.
133. Hagmolen Of Ten Have W, van den Berg NJ, van der Palen J, van Aalderen WM, Bindels PJ. Limitations of questioning asthma to assess asthma control in general practice. *Respir Med* 2008;102:1153-8.
134. Hagmolen of ten Have W, van den Berg NJ, van der Palen J, van Aalderen WM, Bindels PJ. Implementation of an asthma guideline for the management of childhood asthma in general practice: a randomised controlled trial. *Prim Care Respir J* 2008;17:90-6.
135. Haldar P, Brightling CE, Hargadon B, Gupta S, Monteiro W, Sousa A, Marshall RP, Bradding P, Green RH, Wardlaw AJ, Pavord ID. Mepolizumab and exacerbations of refractory eosinophilic asthma. *N Engl J Med* 2009;360:973-84.
136. Haldar P, Pavord ID, Shaw DE, Berry MA, Thomas M, Brightling CE, Wardlaw AJ, Green RH. Cluster analysis and clinical asthma phenotypes. *Am J Respir Crit Care Med* 2008;178:218-24.
137. Halonen JI, Lanki T, Yli-Tuomi T, Kulmala M, Tiittanen P, Pekkanen J. Urban air pollution, and asthma and COPD hospital emergency room visits. *Thorax* 2008;63:635-41.

138. Hancox RJ, Poulton R, Greene JM, McLachlan CR, Pearce MS, Sears MR. Associations between birth weight, early childhood weight gain and adult lung function. *Thorax* 2009;64:228-32.
139. Harley KG, Macher JM, Lipsett M, Duramad P, Holland NT, Prager SS, Ferber J, Bradman A, Eskenazi B, Tager IB. Fungi and pollen exposure in the first months of life and risk of early childhood wheezing. *Thorax* 2009;64:353-8.
140. Harrold LR, Patterson MK, Andrade SE, Dube T, Go AS, Buist AS, Chan KA, Weller PF, Wechsler ME, Yood RA, Davis KJ, Platt R, Walker AM. Asthma drug use and the development of Churg-Strauss syndrome (CSS). *Pharmacoepidemiol Drug Saf* 2007;16:620-6.
141. Hasegawa H, Inui N, Fujisawa T, Sato J, Nakamura H, Watanabe H, Suda T, Chida K. Once-daily inhaled glucocorticosteroid administration in controlled asthma patients. *Pulm Pharmacol Ther* 2008;21:663-7.
142. Hauser T, Mahr A, Metzler C, Coste J, Sommerstein R, Gross WL, Guillevin L, Hellmich B. The leucotriene receptor antagonist montelukast and the risk of Churg-Strauss syndrome: a case-crossover study. *Thorax* 2008;63:677-82.
143. Haynes RB, Ackloo E, Sahota N, McDonald HP, Yao X. Interventions for enhancing medication adherence. *Cochrane Database Syst Rev* 2008:CD000011.
144. Hernandez M, Zhou H, Zhou B, Robinette C, Crissman K, Hatch G, Alexis NE, Peden D. Combination treatment with high-dose vitamin C and alpha-tocopherol does not enhance respiratory-tract lining fluid vitamin C levels in asthmatics. *Inhal Toxicol* 2009;21:173-81.
145. Hernandez Romero A, Matta Campos J, Mora Nieto A, del Rivero L, Andres Dionicio AE, Aguilar Ramirez P, Barthell Solis C, Garcia Gonzalez A, Carreta Macias L, Murguia Corral R, Vazquez Nava F, Almeida Arvizu VM. [Clinical symptom relief in obese patients with persistent moderate asthma secondary to decreased obesity]. *Rev Alerg Mex* 2008;55:103-11.
146. Herting E. [Asthma in children - is it different?]. *Internist (Berl)* 2008;49:1326-30, 1332-4.
147. Hill LL, Fontanesi J. Improving physician involvement in care management programs. *J Med Pract Manage* 2008;24:53-8.
148. Horner SD, Fouladi RT. Improvement of rural children's asthma self-management by lay health educators. *J Sch Health* 2008;78:506-13.
149. Hothersall EJ, Chaudhuri R, McSharry C, Donnelly I, Lafferty J, McMahon AD, Weir CJ, Meiklejohn J, Sattar N, McInnes I, Wood S, Thomson NC. Effects of atorvastatin added to inhaled corticosteroids on lung function and sputum cell counts in atopic asthma. *Thorax* 2008;63:1070-5.
150. Howden-Chapman P, Pierse N, Nicholls S, Gillespie-Bennett J, Viggers H, Cunningham M, Phipps R, Boulic M, Fjallstrom P, Free S, Chapman R, Lloyd B, Wickens K, Shields D, Baker M, Cunningham C, Woodward A, Bullen C, Crane J. Effects of improved home heating on asthma in community dwelling children: randomised controlled trial. *BMJ* 2008;337:a1411.
151. Huang TT, Li YT, Wang CH. Individualized programme to promote self-care among older adults with asthma: randomized controlled trial. *J Adv Nurs* 2009;65:348-58.
152. Huchon G, Magnussen H, Chuchalin A, Dymek L, Gonod FB, Bousquet J. Lung function and asthma control with beclomethasone and formoterol in a single inhaler. *Respir Med* 2009;103:41-9.
153. Humbert M, Boulet LP, Niven RM, Panahloo Z, Blogg M, Ayre G. Omalizumab therapy: patients who achieve greatest benefit for their asthma experience greatest benefit for rhinitis. *Allergy* 2009;64:81-4.

154. Hyzy RC, Travis WD, Hanna E, Lyon-Callo S, Flaherty KR, Rosenman KD. Slow-onset asthma deaths have more eosinophils and health care utilization than rapid-onset deaths. *Respir Med* 2008;102:1819-26.
155. Ichimaru Y, Kanazawa H, Kamoi H, Kyoh S, Tochino Y, Kodama T, Hirata K. Correlations of health-related quality of life questionnaire results in asthma and allergic rhinitis: effects of a leukotriene receptor antagonist. *J Int Med Res* 2008;36:559-66.
156. Jaakkola JJ, Knight TL. The role of exposure to phthalates from polyvinyl chloride products in the development of asthma and allergies: a systematic review and meta-analysis. *Environ Health Perspect* 2008;116:845-53.
157. Jaeschke R, O'Byrne PM, Mejza F, Nair P, Lesniak W, Brozek J, Thabane L, Cheng J, Schunemann HJ, Sears MR, Guyatt G. The safety of long-acting beta-agonists among patients with asthma using inhaled corticosteroids: systematic review and metaanalysis. *Am J Respir Crit Care Med* 2008;178:1009-16.
158. James AL, Green FH, Abramson MJ, Bai TR, Dolhnikoff M, Mauad T, McKay KO, Elliot JG. Airway basement membrane perimeter distensibility and airway smooth muscle area in asthma. *J Appl Physiol* 2008;104:1703-8.
159. Janson SL, McGrath KW, Covington JK, Cheng SC, Boushey HA. Individualized asthma self-management improves medication adherence and markers of asthma control. *J Allergy Clin Immunol* 2009;123:840-6.
160. Juhn YJ, Kita H, Yawn BP, Boyce TG, Yoo KH, McGree ME, Weaver AL, Wollan P, Jacobson RM. Increased risk of serious pneumococcal disease in patients with asthma. *J Allergy Clin Immunol* 2008;122:719-23.
161. Jung KS, Uh ST, Lee YC, Shim JJ, Park SK, Williams AE, Chan R. Comparison of the clinical efficacy and safety of salmeterol/fluticasone propionate versus current care in the management of persistent asthma in Korea. *Curr Med Res Opin* 2008;24:3571-82.
162. Kaiser H, Parasuraman B, Boggs R, Miller CJ, Leidy NK, O'Dowd L. Onset of effect of budesonide and formoterol administered via one pressurized metered-dose inhaler in patients with asthma previously treated with inhaled corticosteroids. *Ann Allergy Asthma Immunol* 2008;101:295-303.
163. Kamble S, Bharmal M. Incremental direct expenditure of treating asthma in the United States. *J Asthma* 2009;46:73-80.
164. Kang MJ, Lee SY, Kim HB, Yu J, Kim BJ, Choi WA, Jang SO, Hong SJ. Association of IL-13 polymorphisms with leukotriene receptor antagonist drug responsiveness in Korean children with exercise-induced bronchoconstriction. *Pharmacogenet Genomics* 2008;18:551-8.
165. Kanniess F, Boulet LP, Pierzchala W, Cameron R, Owen R, Higgins M. Efficacy and safety of indacaterol, a new 24-hour beta2-agonist, in patients with asthma: a dose-ranging study. *J Asthma* 2008;45:887-92.
166. Kawayama T, Kinoshita T, Imaoka H, Gauvreau GM, O'Byrne PM, Aizawa H. Effects of inhaled fluticasone propionate on CTLA-4-positive CD4+CD25+ cells in induced sputum in mild asthmatics. *Respirology* 2008;13:1000-1007.
167. Kaya Z, Erkan F, Ozkan M, Ozkan S, Kocaman N, Ertekin BA, Direk N. Self-management plans for asthma control and predictors of patient compliance. *J Asthma* 2009;46:270-5.
168. Kelly HW. Comparison of inhaled corticosteroids: an update. *Ann Pharmacother* 2009;43:519-27.
169. Kelly HW, Van Natta ML, Covar RA, Tonascia J, Green RP, Strunk RC. Effect of long-term corticosteroid use on bone mineral density in children: a prospective longitudinal

- assessment in the childhood Asthma Management Program (CAMP) study. *Pediatrics* 2008;122:e53-61.
170. Kerwin EM, Pearlman DS, de Guia T, Carlsson LG, Gillen M, Uryniak T, Simonson SG. Evaluation of efficacy and safety of budesonide delivered via two dry powder inhalers. *Curr Med Res Opin* 2008;24:1497-510.
171. Khetsuriani N, Lu X, Teague WG, Kazerouni N, Anderson LJ, Erdman DD. Novel human rhinoviruses and exacerbation of asthma in children. *Emerg Infect Dis* 2008;14:1793-6.
172. Khorasani EN, Fallahi GH, Mansouri F, Rezaei N. The effect of omeprazole on asthmatic adolescents with gastroesophageal reflux disease. *Allergy Asthma Proc* 2008;29:517-20.
173. Kim SH, Kim YK, Park HW, Ye YM, Min KU, Park HS. Adenosine deaminase and adenosine receptor polymorphisms in aspirin-intolerant asthma. *Respir Med* 2009;103:356-63.
174. Kivity S, Elbirt D, Sade K, Stoeger D, Stoeger Z. Efficacy of the Plasma Cluster device in asthmatic and/or allergic rhinitis patients with house dust mite allergy: a prospective observational pilot study. *Isr Med Assoc J* 2009;11:74-7.
175. Koenig SM, Ostrom N, Pearlman D, Waitkus-Edwards K, Yancey S, Prillaman BA, Dorinsky P. Deterioration in asthma control when subjects receiving fluticasone propionate/salmeterol 100/50 mcg Diskus are "stepped-down". *J Asthma* 2008;45:681-7.
176. Kokturk N, Mullaoglu S, Ozyilmaz E, Turktaş H. The effect of low-dose inhaled budesonide on PC20 AMP levels in patients with mild asthma: a 3-month follow-up study. *J Asthma* 2009;46:259-64.
177. Kooi EM, Schokker S, Marike Boezen H, de Vries TW, Vaessen-Verberne AA, van der Molen T, Duiverman EJ. Fluticasone or montelukast for preschool children with asthma-like symptoms: Randomized controlled trial. *Pulm Pharmacol Ther* 2008;21:798-804.
178. Kopp MV, Hamelmann E, Zielen S, Kamin W, Bergmann KC, Sieder C, Stenglein S, Seyfried S, Wahn U. Combination of omalizumab and specific immunotherapy is superior to immunotherapy in patients with seasonal allergic rhinoconjunctivitis and co-morbid seasonal allergic asthma. *Clin Exp Allergy* 2009;39:271-9.
179. Korn D, Van den Brande P, Potvin E, Dramaix M, Herbots E, Peche R. Efficacy of add-on montelukast in patients with non-controlled asthma: a Belgian open-label study. *Curr Med Res Opin* 2009;25:489-97.
180. Krieger J, Takaro TK, Song L, Beaudet N, Edwards K. A randomized controlled trial of asthma self-management support comparing clinic-based nurses and in-home community health workers: the Seattle-King County Healthy Homes II Project. *Arch Pediatr Adolesc Med* 2009;163:141-9.
181. Krouse JH, Krouse HJ, Janisse JJ. Effects of mometasone furoate administered via a dry powder inhaler once daily in the evening on nocturnal lung function and sleep parameters in patients with moderate persistent asthma: a randomized, double-blind, placebo-controlled pilot study. *Clin Drug Investig* 2009;29:51-8.
182. Kumar R, Curtis LM, Khiani S, Moy J, Shalowitz MU, Sharp L, Durazo-Arvizu RA, Shannon JJ, Weiss KB. A community-based study of tobacco smoke exposure among inner-city children with asthma in Chicago. *J Allergy Clin Immunol* 2008;122:754-759 e1.
183. Kurth T, Barr RG, Gaziano JM, Buring JE. Randomised aspirin assignment and risk of adult-onset asthma in the Women's Health Study. *Thorax* 2008;63:514-8.
184. Kwok MY, Walsh-Kelly CM, Gorelick MH. The role of exhaled nitric oxide in evaluation of acute asthma in a pediatric emergency department. *Acad Emerg Med* 2009;16:21-8.

185. Kwong KY, Morpew T, Scott L, Guterman J, Jones CA. Asthma control and future asthma-related morbidity in inner-city asthmatic children. *Ann Allergy Asthma Immunol* 2008;101:144-52.
186. Kyoh S, Kanazawa H, Tochino Y, Kodama T, Asai K, Hirata K. Comparison of N-epsilon-(Carboxymethyl)Lysine levels and percentage of eosinophils in induced sputum for assessment of small airway involvements in asthma. *Med Sci Monit* 2008;14:CR375-8.
187. Lacy BE, Mathis C, DesBiens J, Liu MC. The effects of nebulized albuterol on esophageal function in asthmatic patients. *Dig Dis Sci* 2008;53:2627-33.
188. Larenas-Linnemann D. Sublingual immunotherapy in children: complete and updated review supporting evidence of effect. *Curr Opin Allergy Clin Immunol* 2009;9:168-76.
189. Larsen GL, Morgan W, Heldt GP, Mauger DT, Boehmer SJ, Chinchilli VM, Lemanske RF, Jr., Martinez F, Strunk RC, Szeffler SJ, Zeiger RS, Taussig LM, Bacharier LB, Guilbert TW, Radford S, Sorkness CA. Impulse oscillometry versus spirometry in a long-term study of controller therapy for pediatric asthma. *J Allergy Clin Immunol* 2009;123:861-7 e1.
190. Lasmar L, Camargos P, Bousquet J, Goulart E, Sakurai E, Carvalhais M. Factors related to lower adherence rates to inhaled corticosteroids in children and adolescents: a prospective randomized cohort study. *J Trop Pediatr* 2009;55:20-5.
191. Laurent O, Pedrono G, Segala C, Filleul L, Havard S, Deguen S, Schillinger C, Riviere E, Bard D. Air pollution, asthma attacks, and socioeconomic deprivation: a small-area case-crossover study. *Am J Epidemiol* 2008;168:58-65.
192. Leaker BR, O'Connor B, Hansel TT, Barnes PJ, Meng L, Mathur VS, Lieu HD. Safety of regadenoson, an adenosine A2A receptor agonist for myocardial perfusion imaging, in mild asthma and moderate asthma patients: a randomized, double-blind, placebo-controlled trial. *J Nucl Cardiol* 2008;15:329-36.
193. Leander M, Cronqvist A, Janson C, Uddenfeldt M, Rask-Andersen A. Health-related quality of life predicts onset of asthma in a longitudinal population study. *Respir Med* 2009;103:194-200.
194. Lecheler J, Pfannebecker B, Nguyen DT, Petzold U, Munzel U, Kremer HJ, Maus J. Prevention of exercise-induced asthma by a fixed combination of disodium cromoglycate plus reproterol compared with montelukast in young patients. *Arzneimittelforschung* 2008;58:303-9.
195. Leung TF, Ko FW, Sy HY, Wong E, Li CY, Yung E, Hui DS, Wong GW, Lai CK. Identifying uncontrolled asthma in young children: clinical scores or objective variables? *J Asthma* 2009;46:130-5.
196. Lichtenstein DA, Meziere GA. Relevance of lung ultrasound in the diagnosis of acute respiratory failure: the BLUE protocol. *Chest* 2008;134:117-25.
197. Lima EV, Lima WL, Nobre A, dos Santos AM, Brito LM, Costa Mdo R. Inspiratory muscle training and respiratory exercises in children with asthma. *J Bras Pneumol* 2008;34:552-8.
198. Lougheed MD, Garvey N, Chapman KR, Cicutto L, Dales R, Day AG, Hopman WM, Lam M, Sears MR, Szpiro K, To T, Paterson NA. Variations and gaps in management of acute asthma in Ontario emergency departments. *Chest* 2009;135:724-36.
199. Lowe AJ, Carlin JB, Bennett CM, Hosking CS, Abramson MJ, Hill DJ, Dharmage SC. Do boys do the atopic march while girls dawdle? *J Allergy Clin Immunol* 2008;121:1190-5.
200. Lu S, Liu N, Dass SB, Reiss TF, Knorr BA. Randomized, placebo-controlled study of a selective PDE4 inhibitor in the treatment of asthma. *Respir Med* 2009;103:342-7.
201. Lundback B, Ronmark E, Lindberg A, Jonsson AC, Larsson LG, James M. Asthma control over 3 years in a real-life study. *Respir Med* 2009;103:348-55.

202. Macdonald C, Sternberg A, Hunter P. A systematic review and meta-analysis of interventions used to reduce exposure to house dust and their effect on the development and severity of asthma. *Cien Saude Colet* 2008;13:1907-15.
203. Macleod KA, Horsley AR, Bell NJ, Greening AP, Innes JA, Cunningham S. Ventilation heterogeneity in children with well controlled asthma with normal spirometry indicates residual airways disease. *Thorax* 2009;64:33-7.
204. Macsali F, Real FG, Omenaas ER, Borge L, Janson C, Franklin K, Svanes C. Oral contraception, body mass index, and asthma: a cross-sectional Nordic-Baltic population survey. *J Allergy Clin Immunol* 2009;123:391-7.
205. Malerba M, Ragnoli B, Radaeli A, Tantucci C. Usefulness of exhaled nitric oxide and sputum eosinophils in the long-term control of eosinophilic asthma. *Chest* 2008;134:733-9.
206. Mansbach JM, Espinola JA, Macias CG, Ruhlen ME, Sullivan AF, Camargo CA, Jr. Variability in the diagnostic labeling of nonbacterial lower respiratory tract infections: a multicenter study of children who presented to the emergency department. *Pediatrics* 2009;123:e573-81.
207. Marcon A, Corsico A, Cazzoletti L, Bugiani M, Accordini S, Almar E, Cerveri I, Gislason D, Gulsvik A, Janson C, Jarvis D, Martinez-Moratalla J, Pin I, de Marco R. Body mass index, weight gain, and other determinants of lung function decline in adult asthma. *J Allergy Clin Immunol* 2009;123:1069-74, 1074 e1-4.
208. Marcus P, Arnold RJ, Ekins S, Sacco P, Massanari M, Stanley Young S, Donohue J, Bukstein D. A retrospective randomized study of asthma control in the US: results of the CHARLOTTE study. *Curr Med Res Opin* 2008;24:3443-52.
209. Marogna M, Spadolini I, Massolo A, Berra D, Zanon P, Chiodini E, Canonica GW, Passalacqua G. Long-term comparison of sublingual immunotherapy vs inhaled budesonide in patients with mild persistent asthma due to grass pollen. *Ann Allergy Asthma Immunol* 2009;102:69-75.
210. Marogna M, Tomassetti D, Bernasconi A, Colombo F, Massolo A, Businco AD, Canonica GW, Passalacqua G, Tripodi S. Preventive effects of sublingual immunotherapy in childhood: an open randomized controlled study. *Ann Allergy Asthma Immunol* 2008;101:206-11.
211. Martin E. Improving influenza vaccination rates for pediatric asthmatics by use of an asthma educational tool and a patient electronic care system. *Clin Pediatr (Phila)* 2008;47:588-92.
212. Martin MA, Catrambone CD, Kee RA, Evans AT, Sharp LK, Lyttle C, Rucker-Whitaker C, Weiss KB, Shannon JJ. Improving asthma self-efficacy: developing and testing a pilot community-based asthma intervention for African American adults. *J Allergy Clin Immunol* 2009;123:153-159 e3.
213. Martin RJ. Exploring the distal lung: new direction in asthma. *Isr Med Assoc J* 2008;10:846-9.
214. Mason N, Roberts N, Yard N, Partridge MR. Nebulisers or spacers for the administration of bronchodilators to those with asthma attending emergency departments? *Respir Med* 2008;102:993-8.
215. Maspero J, Guerra F, Cuevas F, Gutierrez JP, Soto-Ramos M, Anderton S, Mechali D, Chan R, Pedersen S. Efficacy and tolerability of salmeterol/fluticasone propionate versus montelukast in childhood asthma: A prospective, randomized, double-blind, double-dummy, parallel-group study. *Clin Ther* 2008;30:1492-504.

216. Mastronarde JG, Anthonisen NR, Castro M, Holbrook JT, Leone FT, Teague WG, Wise RA. Efficacy of esomeprazole for treatment of poorly controlled asthma. *N Engl J Med* 2009;360:1487-99.
217. Matricardi PM, Illi S, Gruber C, Keil T, Nickel R, Wahn U, Lau S. Wheezing in childhood: incidence, longitudinal patterns and factors predicting persistence. *Eur Respir J* 2008;32:585-92.
218. McNamee R, Carder M, Chen Y, Agius R. Measurement of trends in incidence of work-related skin and respiratory diseases, UK 1996-2005. *Occup Environ Med* 2008;65:808-14.
219. McWhirter J, McCann D, Coleman H, Calvert M, Warner J. Can schools promote the health of children with asthma? *Health Educ Res* 2008;23:917-30.
220. Menckeberg TT, Bouvy ML, Bracke M, Hugtenburg JG, Lammers JW, Raaijmakers JA. Patients' understanding of the reasons for starting and discontinuing inhaled corticosteroids. *Br J Clin Pharmacol* 2008;66:255-60.
221. Menezes MB, Teixeira AL, Terra Filho J, Vianna EO. Inflammatory and functional effects of increasing asthma treatment with formoterol or double dose budesonide. *Respir Med* 2008;102:1385-91.
222. Mahrshahi S, Webb K, Almqvist C, Kemp AS. Adherence to allergy prevention recommendations in children with a family history of asthma. *Pediatr Allergy Immunol* 2008;19:355-62.
223. Mikkelsen ME, Woo YJ, Sager JS, Fuchs BD, Christie JD. Outcomes using extracorporeal life support for adult respiratory failure due to status asthmaticus. *ASAIO J* 2009;55:47-52.
224. Milani M, Pecora S, Burastero S. Observational study of sublingual specific immunotherapy in persistent and intermittent allergic rhinitis: the EFESO trial. *Curr Med Res Opin* 2008;24:2719-24.
225. Miller DP, Tom G, Rasouliyan L, Chipps B. Patient-reported outcomes among omalizumab and salmeterol/fluticasone combination therapy patients. *J Asthma* 2009;46:179-85.
226. Miller E, FitzGerald JM. Budesonide/formoterol as maintenance and reliever treatment compared to fixed dose combination strategies - a Canadian economic evaluation. *Can J Clin Pharmacol* 2008;15:e165-76.
227. Miller EK, Edwards KM, Weinberg GA, Iwane MK, Griffin MR, Hall CB, Zhu Y, Szilagyi PG, Morin LL, Heil LH, Lu X, Williams JV. A novel group of rhinoviruses is associated with asthma hospitalizations. *J Allergy Clin Immunol* 2009;123:98-104 e1.
228. Millqvist E, Ternesten-Hasseus E, Bende M. Inhaled ethanol potentiates the cough response to capsaicin in patients with airway sensory hyperreactivity. *Pulm Pharmacol Ther* 2008;21:794-7.
229. Mirza A, Subedar A, Fowler SL, Murray DL, Arnold S, Tristram D, Abuelreish M, Wludyka P, Chiu TT, Rathore MH. Influenza vaccine: awareness and barriers to immunization in families of children with chronic medical conditions other than asthma. *South Med J* 2008;101:1101-5.
230. Misso NL, Aggarwal S, Thompson PJ, Vally H. Increases in urinary 9alpha,11beta-prostaglandin f2 indicate mast cell activation in wine-induced asthma. *Int Arch Allergy Immunol* 2009;149:127-32.
231. Mohr LB, Luo S, Mathias E, Tobing R, Homan S, Sterling D. Influence of season and temperature on the relationship of elemental carbon air pollution to pediatric asthma emergency room visits. *J Asthma* 2008;45:936-43.

232. Moller-Larsen S, Nyegaard M, Haagerup A, Vestbo J, Kruse TA, Borglum AD. Association analysis identifies TLR7 and TLR8 as novel risk genes in asthma and related disorders. *Thorax* 2008;63:1064-9.
233. Montes de Oca M, Talamo C, Perez-Padilla R, Lopez MV, Muino A, Jardim JR, Valdivia G, Pertuze J, Moreno D, Halbert RJ, Menezes AM. Use of respiratory medication in five Latin American cities: The PLATINO study. *Pulm Pharmacol Ther* 2008;21:788-93.
234. Moreau D, Kalaboka S, Choquet M, Annesi-Maesano I. Asthma, obesity, and eating behaviors according to the diagnostic and statistical manual of mental disorders IV in a large population-based sample of adolescents. *Am J Clin Nutr* 2009;89:1292-8.
235. Moreira A, Delgado L, Haahtela T, Fonseca J, Moreira P, Lopes C, Mota J, Santos P, Ryttila P, Castel-Branco MG. Physical training does not increase allergic inflammation in asthmatic children. *Eur Respir J* 2008;32:1570-5.
236. Morjaria JB, Chauhan AJ, Babu KS, Polosa R, Davies DE, Holgate ST. The role of a soluble TNFalpha receptor fusion protein (etanercept) in corticosteroid refractory asthma: a double blind, randomised, placebo controlled trial. *Thorax* 2008;63:584-91.
237. Morsch AL, Amorim MM, Barbieri A, Santoro LL, Fernandes AL. Influence of oscillating positive expiratory pressure and the forced expiratory technique on sputum cell counts and quantity of induced sputum in patients with asthma or chronic obstructive pulmonary disease. *J Bras Pneumol* 2008;34:1026-32.
238. Mosnaim GS, Cohen MS, Rhoads CH, Rittner SS, Powell LH. Use of MP3 players to increase asthma knowledge in inner-city African-American adolescents. *Int J Behav Med* 2008;15:341-6.
239. Mostafa GA, Reda SM, Abd El-Aziz MM, Ahmed SA. Sputum neurokinin A in Egyptian asthmatic children and adolescents: relation to exacerbation severity. *Allergy* 2008;63:1244-7.
240. Nadif R, Siroux V, Orszczyn MP, Ravault C, Pison C, Pin I, Kauffmann F. Heterogeneity of asthma according to blood inflammatory patterns. *Thorax* 2009;64:374-80.
241. Nair A, Menzies D, Barnes M, Burns P, McFarlane L, Lipworth BJ. Respirable dose delivery of fluticasone propionate from a small valved holding chamber, a compact breath actuated integrated vortex device and a metered dose inhaler. *Br J Clin Pharmacol* 2008;66:20-6.
242. Nair P, Pizzichini MM, Kjarsgaard M, Inman MD, Efthimiadis A, Pizzichini E, Hargreave FE, O'Byrne PM. Mepolizumab for prednisone-dependent asthma with sputum eosinophilia. *N Engl J Med* 2009;360:985-93.
243. Nathan RA, Kanter L, Ostrom NK. Ciclesonide improves health-related quality of life in adults and adolescents with mild-to-moderate persistent asthma. *Allergy Asthma Proc* 2008;29:521-7.
244. Nathani N, Little MA, Kunst H, Wilson D, Thickett DR. Churg-Strauss syndrome and leukotriene antagonist use: a respiratory perspective. *Thorax* 2008;63:883-8.
245. Nedeljkovic M, Ljustina-Pribic R, Savic K. Innovative approach to laser acupuncture therapy of acute obstruction in asthmatic children. *Med Pregl* 2008;61:123-30.
246. Neville KA, Szeffler SJ, Abdel-Rahman SM, Lahu G, Zech K, Herzog R, Bethke TD, Gleason MC, Kearns GL. Single-dose pharmacokinetics of roflumilast in children and adolescents. *J Clin Pharmacol* 2008;48:978-85.
247. Ngamphaiboon J, Wirawarn T, Thongkaew T. Prevention of recurrent wheezing in young children by loratadine compared with ketotifen. *J Med Assoc Thai* 2009;92:351-5.
248. Niedoszytko M, Gruchala-Niedoszytko M, Chelminska M, Sieminska A, Jassem E. Persistent impact of cigarette smoking on asthma. *J Asthma* 2008;45:495-9.

249. Nikitin AV, Esaulenko IE, Shatalova OL. [Application of extremely high frequency (EHF) therapy as a method of complex therapy of the elderly patients with mixed form of bronchial asthma]. *Adv Gerontol* 2008;21:322-6.
250. Niven R, Chung KF, Panahloo Z, Blogg M, Ayre G. Effectiveness of omalizumab in patients with inadequately controlled severe persistent allergic asthma: an open-label study. *Respir Med* 2008;102:1371-8.
251. O'Byrne PM, Naya IP, Kallen A, Postma DS, Barnes PJ. Increasing doses of inhaled corticosteroids compared to adding long-acting inhaled beta2-agonists in achieving asthma control. *Chest* 2008;134:1192-9.
252. O'Byrne PM, Pedersen S, Lamm CJ, Tan WC, Busse WW. Severe exacerbations and decline in lung function in asthma. *Am J Respir Crit Care Med* 2009;179:19-24.
253. Ohbayashi H, Adachi M. Hydrofluoroalkane-beclomethasone dipropionate effectively improves airway eosinophilic inflammation including the distal airways of patients with mild to moderate persistent asthma as compared with fluticasone propionate in a randomized open double-cross study. *Allergol Int* 2008;57:231-9.
254. Olenchock BA, Fonarow GG, Pan W, Hernandez A, Cannon CP. Current use of beta blockers in patients with reactive airway disease who are hospitalized with acute coronary syndromes. *Am J Cardiol* 2009;103:295-300.
255. Olsen SF, Osterdal ML, Salvig JD, Mortensen LM, Rytter D, Secher NJ, Henriksen TB. Fish oil intake compared with olive oil intake in late pregnancy and asthma in the offspring: 16 y of registry-based follow-up from a randomized controlled trial. *Am J Clin Nutr* 2008;88:167-75.
256. Palvo F, Toledo EC, Menin AM, Jorge PP, Godoy MF, Sole D. Risk factors of childhood asthma in Sao Jose do Rio Preto, Sao Paulo, Brazil. *J Trop Pediatr* 2008;54:253-7.
257. Paris J, Peterson EL, Wells K, Pladevall M, Burchard EG, Choudhry S, Lanfear DE, Williams LK. Relationship between recent short-acting beta-agonist use and subsequent asthma exacerbations. *Ann Allergy Asthma Immunol* 2008;101:482-7.
258. Parsons JP, Mastrorarde JG. Exercise-induced asthma. *Curr Opin Pulm Med* 2009;15:25-8.
259. Partridge MR, Caress AL, Brown C, Hennings J, Luker K, Woodcock A, Campbell M. Can lay people deliver asthma self-management education as effectively as primary care based practice nurses? *Thorax* 2008;63:778-83.
260. Patel AC, Van Natta ML, Tonascia J, Wise RA, Strunk RC. Effects of time, albuterol, and budesonide on the shape of the flow-volume loop in children with asthma. *J Allergy Clin Immunol* 2008;122:781-787 e8.
261. Patel RR, Saltoun CA, Grammer LC. Improving asthma care for the elderly: a randomized controlled trial using a simple telephone intervention. *J Asthma* 2009;46:30-5.
262. Pavord ID, Jeffery PK, Qiu Y, Zhu J, Parker D, Carlsheimer A, Naya I, Barnes NC. Airway inflammation in patients with asthma with high-fixed or low-fixed plus as-needed budesonide/formoterol. *J Allergy Clin Immunol* 2009;123:1083-9, 1089 e1-7.
263. Pearlman DS, Greos L, LaForce C, Orevillo CJ, Owen R, Higgins M. Bronchodilator efficacy of indacaterol, a novel once-daily beta2-agonist, in patients with persistent asthma. *Ann Allergy Asthma Immunol* 2008;101:90-5.
264. Pelikan Z. Asthmatic response induced by nasal challenge with allergen. *Int Arch Allergy Immunol* 2009;148:330-8.
265. Perpina Tordera M, Viejo JL, Sanchis J, Badia X, Cobos N, Picado C, Sobradillo V, Martinez Gonzalez del Rio J, Duce F, Munoz Cabrera L. [Assessment of patient satisfaction and

- preferences with inhalers in asthma with the FSI-10 Questionnaire]. *Arch Bronconeumol* 2008;44:346-52.
266. Persson G, Ankerst J, Gillen M, Bengtsson T, Thorsson L. Relative systemic availability of budesonide in patients with asthma after inhalation from two dry powder inhalers. *Curr Med Res Opin* 2008;24:1511-7.
267. Peters SP, Prenner BM, Mezzanotte WS, Martin P, O'Brien CD. Long-term safety and asthma control with budesonide/formoterol versus budesonide pressurized metered-dose inhaler in asthma patients. *Allergy Asthma Proc* 2008;29:499-516.
268. Peterson KA, Samuelson WM, Ryujin DT, Young DC, Thomas KL, Hilden K, Fang JC. The role of gastroesophageal reflux in exercise-triggered asthma: a randomized controlled trial. *Dig Dis Sci* 2009;54:564-71.
269. Picado C, Badiola C, Perulero N, Sastre J, Olaguibel JM, Lopez Vina A, Vega JM. Validation of the Spanish version of the Asthma Control Questionnaire. *Clin Ther* 2008;30:1918-31.
270. Plewako H, Holmberg K, Oancea I, Gotlib T, Samolinski B, Rak S. A follow-up study of immunotherapy-treated birch-allergic patients: effect on the expression of chemokines in the nasal mucosa. *Clin Exp Allergy* 2008;38:1124-31.
271. Pogson ZE, Antoniak MD, Pacey SJ, Lewis SA, Britton JR, Fogarty AW. Does a low sodium diet improve asthma control? A randomized controlled trial. *Am J Respir Crit Care Med* 2008;178:132-8.
272. Polley L, Yaman N, Heaney L, Cardwell C, Murtagh E, Ramsey J, Macmahon J, Costello RW, McGarvey L. Impact of cough across different chronic respiratory diseases: comparison of two cough-specific health-related quality of life questionnaires. *Chest* 2008;134:295-302.
273. Ponce Castro H, Rodriguez Espino S, Rodriguez Orozco AR. [Administration of budesonide (inhaled steroid) to children to control intermittent asthma]. *Rev Alerg Mex* 2009;56:9-12.
274. Pongracic JA, Visness CM, Gruchalla RS, Evans R, 3rd, Mitchell HE. Effect of mouse allergen and rodent environmental intervention on asthma in inner-city children. *Ann Allergy Asthma Immunol* 2008;101:35-41.
275. Prieto L, Lopez V, Llusar R, Rojas R, Marin J. Differences in the response to methacholine between the tidal breathing and dosimeter methods: influence of the dose of bronchoconstrictor agent delivered to the mouth. *Chest* 2008;134:699-703.
276. Puig C, Sunyer J, Garcia-Algar O, Munoz L, Pacifici R, Pichini S, Vall O. Incidence and risk factors of lower respiratory tract illnesses during infancy in a Mediterranean birth cohort. *Acta Paediatr* 2008;97:1406-11.
277. Purohit A, Niederberger V, Kronqvist M, Horak F, Gronneberg R, Suck R, Weber B, Fiebig H, van Hage M, Pauli G, Valenta R, Cromwell O. Clinical effects of immunotherapy with genetically modified recombinant birch pollen Bet v 1 derivatives. *Clin Exp Allergy* 2008;38:1514-25.
278. Quinlan PJ, Earnest G, Eisner MD, Yelin EH, Katz PP, Balmes JR, Blanc PD. Performance of self-reported occupational exposure compared to a job-exposure matrix approach in asthma and chronic rhinitis. *Occup Environ Med* 2009;66:154-60.
279. Quint J, Beckett WS, Campleman SL, Sutton P, Prudhomme J, Flattery J, Harrison R, Cowan B, Kreutzer R. Primary prevention of occupational asthma: identifying and controlling exposures to asthma-causing agents. *Am J Ind Med* 2008;51:477-91.

280. Quittner AL, Modi A, Cruz I. Systematic review of health-related quality of life measures for children with respiratory conditions. *Paediatr Respir Rev* 2008;9:220-32.
281. Rachelefsky G. Inhaled corticosteroids and asthma control in children: assessing impairment and risk. *Pediatrics* 2009;123:353-66.
282. Rayens MK, Burkhart PV, Zhang M, Lee S, Moser DK, Mannino D, Hahn EJ. Reduction in asthma-related emergency department visits after implementation of a smoke-free law. *J Allergy Clin Immunol* 2008;122:537-41 e3.
283. Reddel HK, Belousova EG, Marks GB, Jenkins CR. Does continuous use of inhaled corticosteroids improve outcomes in mild asthma? A double-blind randomised controlled trial. *Prim Care Respir J* 2008;17:39-45.
284. Reddel HK, Taylor DR, Bateman ED, Boulet LP, Boushey HA, Busse WW, Casale TB, Chanez P, Enright PL, Gibson PG, de Jongste JC, Kerstjens HA, Lazarus SC, Levy ML, O'Byrne PM, Partridge MR, Pavord ID, Sears MR, Sterk PJ, Stoloff SW, Sullivan SD, Szeffler SJ, Thomas MD, Wenzel SE. An official American Thoracic Society/European Respiratory Society statement: asthma control and exacerbations: standardizing endpoints for clinical asthma trials and clinical practice. *Am J Respir Crit Care Med* 2009;180:59-99.
285. Rhee H, Hollen PJ, Belyea MJ, Sutherland MA. Decision-making program for rural adolescents with asthma: a pilot study. *J Pediatr Nurs* 2008;23:439-50.
286. Robroeks CM, van de Kant KD, van Vliet D, Kester AD, Hendriks HJ, Damoiseaux JG, Wodzig WK, Rijkers GT, Dompeling E, Jobsis Q. Comparison of the anti-inflammatory effects of extra-fine hydrofluoroalkane-beclomethasone vs fluticasone dry powder inhaler on exhaled inflammatory markers in childhood asthma. *Ann Allergy Asthma Immunol* 2008;100:601-7.
287. Rodrigo GJ, Moral VP, Marcos LG, Castro-Rodriguez JA. Safety of regular use of long-acting beta agonists as monotherapy or added to inhaled corticosteroids in asthma. A systematic review. *Pulm Pharmacol Ther* 2009;22:9-19.
288. Rodrigo GJ, Plaza V, Fornes SB, Tordera MP, Salas J. Factors associated with mortality in patients hospitalized in Spain and Latin America for acute severe asthma in 1994, 1999, and 2004. *J Bras Pneumol* 2008;34:546-51.
289. Rodriguez E, Vera V, Perez-Puigbo A, Capriles-Hulett A, Ferro S, Manrique J, Abate J. Equivalence of a single saline nebulised dose of formoterol powder vs three doses of nebulised Albuterol every twenty minutes in acute asthma in children: a suitable cost effective approach for developing nations. *Allergol Immunopathol (Madr)* 2008;36:196-200.
290. Rodriguez Santos O. [Sublingual immunotherapy in allergic rhinitis and asthma in 2-5 year-old children sensitized to mites]. *Rev Alerg Mex* 2008;55:71-5.
291. Rodriguez-Perez N, Ambriz-Moreno Mde J, Canonica GW, Penagos M. Frequency of acute systemic reactions in patients with allergic rhinitis and asthma treated with sublingual immunotherapy. *Ann Allergy Asthma Immunol* 2008;101:304-10.
292. Roduit C, Scholtens S, de Jongste JC, Wijga AH, Gerritsen J, Postma DS, Brunekreef B, Hoekstra MO, Aalberse R, Smit HA. Asthma at 8 years of age in children born by caesarean section. *Thorax* 2009;64:107-13.
293. Rowe BH, Villa-Roel C, Sivilotti ML, Lang E, Borgundvaag B, Worster A, Walker A, Ross S. Relapse after emergency department discharge for acute asthma. *Acad Emerg Med* 2008;15:709-17.
294. Rowe BH, Voaklander DC, Wang D, Senthilselvan A, Klassen TP, Marrie TJ, Rosychuk RJ. Asthma presentations by adults to emergency departments in Alberta, Canada: a large population-based study. *Chest* 2009;135:57-65.

295. Rozsasi A, Polzehl D, Deutsche T, Smith E, Wiesmiller K, Riechelmann H, Keck T. Long-term treatment with aspirin desensitization: a prospective clinical trial comparing 100 and 300 mg aspirin daily. *Allergy* 2008;63:1228-34.
296. Ryttila P, Ghaly L, Varghese S, Chung W, Selroos O, Haahtela T. Treatment with inhaled steroids in patients with symptoms suggestive of asthma but with normal lung function. *Eur Respir J* 2008;32:989-96.
297. Saglani S, Bush A. Asthma in preschool children: the next challenge. *Curr Opin Allergy Clin Immunol* 2009;9:141-5.
298. Schneider A, Tilemann L, Schermer T, Gindner L, Laux G, Szecsenyi J, Meyer FJ. Diagnosing asthma in general practice with portable exhaled nitric oxide measurement--results of a prospective diagnostic study: FENO < or = 16 ppb better than FENO < or =12 ppb to rule out mild and moderate to severe asthma [added]. *Respir Res* 2009;10:15.
299. Schubert R, Eickmeier O, Garn H, Baer PC, Mueller T, Schulze J, Rose MA, Rosewich M, Renz H, Zielen S. Safety and immunogenicity of a cluster specific immunotherapy in children with bronchial asthma and mite allergy. *Int Arch Allergy Immunol* 2009;148:251-60.
300. Schubert R, Kitz R, Beermann C, Rose MA, Lieb A, Sommerer PC, Moskovits J, Alberternst H, Bohles HJ, Schulze J, Zielen S. Effect of n-3 polyunsaturated fatty acids in asthma after low-dose allergen challenge. *Int Arch Allergy Immunol* 2009;148:321-9.
301. Schulte M, Osseiran K, Betz R, Wencker M, Brand P, Meyer T, Haidl P. Handling of and preferences for available dry powder inhaler systems by patients with asthma and COPD. *J Aerosol Med Pulm Drug Deliv* 2008;21:321-8.
302. Scott KM, Von Korff M, Alonso J, Angermeyer MC, Benjet C, Bruffaerts R, de Girolamo G, Haro JM, Kessler RC, Kovess V, Ono Y, Ormel J, Posada-Villa J. Childhood adversity, early-onset depressive/anxiety disorders, and adult-onset asthma. *Psychosom Med* 2008;70:1035-43.
303. Sears MR, Boulet LP, Laviolette M, Fitzgerald JM, Bai TR, Kaplan A, Smiljanic-Georgijev N, Lee JS. Budesonide/formoterol maintenance and reliever therapy: impact on airway inflammation in asthma. *Eur Respir J* 2008;31:982-9.
304. Seid M. Barriers to care and primary care for vulnerable children with asthma. *Pediatrics* 2008;122:994-1002.
305. Selroos O. Effect of disease duration on dose-response of inhaled budesonide in asthma. *Respir Med* 2008;102:1065-72.
306. Shaaban R, Zureik M, Soussan D, Neukirch C, Heinrich J, Sunyer J, Wjst M, Cerveri I, Pin I, Bousquet J, Jarvis D, Burney PG, Neukirch F, Leynaert B. Rhinitis and onset of asthma: a longitudinal population-based study. *Lancet* 2008;372:1049-57.
307. Shah SS, Lutfiyya MN, McCullough JE, Henley E, Zeitz HJ, Lipsky MS. Who is providing and who is getting asthma patient education: an analysis of 2001 National Ambulatory Medical Care Survey data. *Health Educ Res* 2008;23:803-13.
308. Shaheen S, Potts J, Gnatiuc L, Makowska J, Kowalski ML, Joos G, van Zele T, van Durme Y, De Rudder I, Wohrl S, Godnic-Cvar J, Skadhauge L, Thomsen G, Zuberbier T, Bergmann KC, Heinzerling L, Gjomarkaj M, Bruno A, Pace E, Bonini S, Fokkens W, Weersink EJ, Loureiro C, Todo-Bom A, Villanueva CM, Sanjuas C, Zock JP, Janson C, Burney P. The relation between paracetamol use and asthma: a GA2LEN European case-control study. *Eur Respir J* 2008;32:1231-6.
309. Sharma S, Litonjua AA, Tantisira KG, Fuhlbrigge AL, Szeffler SJ, Strunk RC, Zeiger RS, Murphy AJ, Weiss ST. Clinical predictors and outcomes of consistent bronchodilator response in the childhood asthma management program. *J Allergy Clin Immunol* 2008;122:921-928 e4.

310. Sharma S, Raby BA, Hunninghake GM, Soto-Quiros M, Avila L, Murphy AJ, Lasky-Su J, Klanderman BJ, Sylvia JS, Weiss ST, Celedon JC. Variants in TGFB1, dust mite exposure, and disease severity in children with asthma. *Am J Respir Crit Care Med* 2009;179:356-62.
311. Shaya FT, Dongyi D, Akazawa MO, Blanchette CM, Wang J, Mapel DW, Dalal A, Scharf SM. Burden of concomitant asthma and COPD in a Medicaid population. *Chest* 2008;134:14-9.
312. Shelledy DC, Legrand TS, Gardner DD, Peters JI. A randomized, controlled study to evaluate the role of an in-home asthma disease management program provided by respiratory therapists in improving outcomes and reducing the cost of care. *J Asthma* 2009;46:194-201.
313. Shrewsbury SB, Bosco AP, Uster PS. Pharmacokinetics of a novel submicron budesonide dispersion for nebulized delivery in asthma. *Int J Pharm* 2009;365:12-7.
314. Singh AK, Gaur S, Kumar R. A randomized controlled trial of intravenous magnesium sulphate as an adjunct to standard therapy in acute severe asthma. *Iran J Allergy Asthma Immunol* 2008;7:221-9.
315. Singh D, Fairwood J, Murdoch R, Weeks A, Russell P, Roy K, Langley S, Woodcock A. The reproducibility of adenosine monophosphate bronchial challenges in mild, steroid-naive asthmatics. *Br J Clin Pharmacol* 2008;66:261-5.
316. Singh D, Piccinno A, Borrill Z, Poli G, Acerbi D, Meuleners L, Woodcock A. Tolerability of high cumulative doses of the HFA modulate beclomethasone dipropionate/formoterol combination inhaler in asthmatic patients. *Pulm Pharmacol Ther* 2008;21:551-7.
317. Slavin RG, Ferioli C, Tannenbaum SJ, Martin C, Blogg M, Lowe PJ. Asthma symptom re-emergence after omalizumab withdrawal correlates well with increasing IgE and decreasing pharmacokinetic concentrations. *J Allergy Clin Immunol* 2009;123:107-113 e3.
318. Sly PD, Boner AL, Bjorksten B, Bush A, Custovic A, Eigenmann PA, Gern JE, Gerritsen J, Hamelmann E, Helms PJ, Lemanske RF, Martinez F, Pedersen S, Renz H, Sampson H, von Mutius E, Wahn U, Holt PG. Early identification of atopy in the prediction of persistent asthma in children. *Lancet* 2008;372:1100-6.
319. Smit LA, Siroux V, Bouzigon E, Oryszczyn MP, Lathrop M, Demenais F, Kauffmann F. CD14 and toll-like receptor gene polymorphisms, country living, and asthma in adults. *Am J Respir Crit Care Med* 2009;179:363-8.
320. Smith LA, Bokhour B, Hohman KH, Miroshnik I, Kleinman KP, Cohn E, Cortes DE, Galbraith A, Rand C, Lieu TA. Modifiable risk factors for suboptimal control and controller medication underuse among children with asthma. *Pediatrics* 2008;122:760-9.
321. Smith S, Mitchell C, Bowler S. Standard versus patient-centred asthma education in the emergency department: a randomised study. *Eur Respir J* 2008;31:990-7.
322. Smith SM, Mitchell C, Bowler SD, Heneghan C, Perera R. The health behaviour and clinical characteristics of ambulance users with acute asthma. *Emerg Med J* 2009;26:187-92.
323. Sopo SM, Radzik D, Calvani M. Does treatment with proton pump inhibitors for gastroesophageal reflux disease (GERD) improve asthma symptoms in children with asthma and GERD? A systematic review. *J Invest Allergol Clin Immunol* 2009;19:1-5.
324. Sposato B, Barzan R, Calabrese A, Franco C. Comparison of the protective effect amongst anticholinergic drugs on methacholine-induced bronchoconstriction in asthma. *J Asthma* 2008;45:397-401.
325. Stallberg B, Ekstrom T, Neij F, Olsson P, Skoogh BE, Wennergren G, Lofdahl CG. A real-life cost-effectiveness evaluation of budesonide/formoterol maintenance and reliever therapy in asthma. *Respir Med* 2008;102:1360-70.

326. Starobin D, Bolotinsky L, Or J, Fink G, Shtoegeer Z. Efficacy of nebulized fluticasone propionate in adult patients admitted to the emergency department due to bronchial asthma attack. *Isr Med Assoc J* 2008;10:568-71.
327. Stavreska V, Verheggen M, Oostryck J, Stick SM, Hall GL. Determining the time to maximal bronchodilator response in asthmatic children. *J Asthma* 2009;46:25-9.
328. Steiss JO, Rudloff S, Landmann E, Ruckes-Nilges C, Zimmer KP, Lindemann H. Effect of inhaled corticosteroid treatment on exhaled breath condensate leukotriene E(4) in children with mild asthma. *Allergy Asthma Proc* 2008;29:371-5.
329. Steiss JO, Rudloff S, Landmann E, Zimmer KP, Lindemann H. Capnovolumetry: a new tool for lung function testing in children with asthma. *Clin Physiol Funct Imaging* 2008;28:332-6.
330. Stern DA, Morgan WJ, Halonen M, Wright AL, Martinez FD. Wheezing and bronchial hyper-responsiveness in early childhood as predictors of newly diagnosed asthma in early adulthood: a longitudinal birth-cohort study. *Lancet* 2008;372:1058-64.
331. Strandberg K, Ek A, Palmberg L, Larsson K. Fluticasone and ibuprofen do not add to the effect of salmeterol on organic dust-induced airway inflammation and bronchial hyper-responsiveness. *J Intern Med* 2008;264:83-94.
332. Strunk RC, Bacharier LB, Phillips BR, Szeffler SJ, Zeiger RS, Chinchilli VM, Martinez FD, Lemanske RF, Jr., Taussig LM, Mauger DT, Morgan WJ, Sorkness CA, Paul IM, Guilbert T, Krawiec M, Covar R, Larsen G. Azithromycin or montelukast as inhaled corticosteroid-sparing agents in moderate-to-severe childhood asthma study. *J Allergy Clin Immunol* 2008;122:1138-1144 e4.
333. Strunk RC, Sternberg AL, Szeffler SJ, Zeiger RS, Bender B, Tonascia J. Long-term budesonide or nedocromil treatment, once discontinued, does not alter the course of mild to moderate asthma in children and adolescents. *J Pediatr* 2009;154:682-7.
334. Sturkenboom MC, Verhamme KM, Nicolosi A, Murray ML, Neubert A, Caudri D, Picelli G, Sen EF, Giaquinto C, Cantarutti L, Baiardi P, Felisi MG, Ceci A, Wong IC. Drug use in children: cohort study in three European countries. *BMJ* 2008;337:a2245.
335. Sulser C, Schulz G, Wagner P, Sommerfeld C, Keil T, Reich A, Wahn U, Lau S. Can the use of HEPA cleaners in homes of asthmatic children and adolescents sensitized to cat and dog allergens decrease bronchial hyperresponsiveness and allergen contents in solid dust? *Int Arch Allergy Immunol* 2009;148:23-30.
336. Sundram F, Notghi A, Smith NB. Pharmacological stress myocardial perfusion scintigraphy: use of a modified adenosine protocol in patients with asthma. *Nucl Med Commun* 2009;30:217-25.
337. Suttner K, Ruoss I, Rosenstiel P, Depner M, Pinto LA, Schedel M, Adamski J, Illig T, Schreiber S, von Mutius E, Kabesch M. HLX1 gene variants influence the development of childhood asthma. *J Allergy Clin Immunol* 2009;123:82-88 e6.
338. Szeffler SJ, Mitchell H, Sorkness CA, Gergen PJ, O'Connor GT, Morgan WJ, Kattan M, Pongracic JA, Teach SJ, Bloomberg GR, Eggleston PA, Gruchalla RS, Kercksmar CM, Liu AH, Wildfire JJ, Curry MD, Busse WW. Management of asthma based on exhaled nitric oxide in addition to guideline-based treatment for inner-city adolescents and young adults: a randomised controlled trial. *Lancet* 2008;372:1065-72.
339. Szende A, Leidy NK, Stahl E, Svensson K. Estimating health utilities in patients with asthma and COPD: evidence on the performance of EQ-5D and SF-6D. *Qual Life Res* 2009;18:267-72.

340. Takaoka M, Norback D. Diet among Japanese female university students and asthmatic symptoms, infections, pollen and furry pet allergy. *Respir Med* 2008;102:1045-54.
341. Tamaoki J, Isono K, Taira M, Tagaya E, Nakata J, Kawatani K, Nagai A. Role of regular treatment with inhaled corticosteroid or leukotriene receptor antagonist in mild intermittent asthma. *Allergy Asthma Proc* 2008;29:189-96.
342. Tamminen K, Laine J, Soini E, Martikainen J, Kankaanranta H. Cost-effectiveness analysis of budesonide/formoterol maintenance and reliever therapy versus fixed combination treatments for asthma in Finland\*. *Curr Med Res Opin* 2008;24:3453-61.
343. Tantisira KG, Colvin R, Tonascia J, Strunk RC, Weiss ST, Fuhlbrigge AL. Airway responsiveness in mild to moderate childhood asthma: sex influences on the natural history. *Am J Respir Crit Care Med* 2008;178:325-31.
344. Tantisira KG, Lima J, Sylvia J, Klanderman B, Weiss ST. 5-lipoxygenase pharmacogenetics in asthma: overlap with Cys-leukotriene receptor antagonist loci. *Pharmacogenet Genomics* 2009;19:244-7.
345. Tarlo SM, Balmes J, Balkissoon R, Beach J, Beckett W, Bernstein D, Blanc PD, Brooks SM, Cowl CT, Daroowalla F, Harber P, Lemiere C, Liss GM, Pacheco KA, Redlich CA, Rowe B, Heitzer J. Diagnosis and management of work-related asthma: American College Of Chest Physicians Consensus Statement. *Chest* 2008;134:1S-41S.
346. Tata LJ, Lewis SA, McKeever TM, Smith CJ, Doyle P, Smeeth L, Gibson JE, Hubbard RB. Effect of maternal asthma, exacerbations and asthma medication use on congenital malformations in offspring: a UK population-based study. *Thorax* 2008;63:981-7.
347. Telleria JJ, Blanco-Quiros A, Varillas D, Armentia A, Fernandez-Carvajal I, Jesus Alonso M, Diez I. ALOX5 promoter genotype and response to montelukast in moderate persistent asthma. *Respir Med* 2008;102:857-61.
348. Ternesten-Hasseus E, Larsson C, Bende M, Millqvist E. Capsaicin provocation using two different inhalation devices. *Respir Med* 2008;102:1784-90.
349. Tessari R, Migliore E, Balzi D, Barchielli A, Canova C, Faustini A, Galassi C, Simonato L. [Asthma prevalence estimated using a standard algorithm based on electronic health data in various areas of Italy]. *Epidemiol Prev* 2008;32:56-65.
350. Tezuka J, Motomura C, Ikei J, Ide K, Kando N, Goto M, Taba N, Hayashi D, Murakami Y, Moriyasu Y, Soebijanto K, Shibata R, Okada K, Okada H, Nishima S. [Efficacy and safety of budesonide inhalation suspension nebulization by mesh nebulizer in Japanese infants and young children with bronchial asthma in 12-week, randomised, open study]. *Aruugi* 2008;57:1034-42.
351. Thomas M, Kay S, Pike J, Williams A, Rosenzweig JR, Hillyer EV, Price D. The Asthma Control Test (ACT) as a predictor of GINA guideline-defined asthma control: analysis of a multinational cross-sectional survey. *Prim Care Respir J* 2009;18:41-9.
352. Thomas M, McKinley RK, Mellor S, Watkin G, Holloway E, Scullion J, Shaw DE, Wardlaw A, Price D, Pavord I. Breathing exercises for asthma: a randomised controlled trial. *Thorax* 2009;64:55-61.
353. Thorsteinsdottir B, Volcheck GW, Enemark Madsen B, Patel AM, Li JT, Lim KG. The ABCs of asthma control. *Mayo Clin Proc* 2008;83:814-20.
354. Tomari S, Matsuse H, Hirose H, Tsuchida T, Fukahori S, Fukushima C, Kawano T, Matsuo N, Kohno S. Observational study of the additive effects of pranlukast on inflammatory markers of clinically stable asthma with inhaled corticosteroids and long-acting beta 2 agonists. *Respiration* 2008;76:398-402.

355. Toren K, Blanc PD. Asthma caused by occupational exposures is common - a systematic analysis of estimates of the population-attributable fraction. *BMC Pulm Med* 2009;9:7.
356. Trepka MJ, Martin P, Mavunda K, Rodriguez D, Zhang G, Brown C. A pilot asthma incidence surveillance system and case definition: lessons learned. *Public Health Rep* 2009;124:267-79.
357. Tripp K, McVicar WK, Nair P, Corren J, Pleskow WW, Goodwin E, Baumgartner RA, Hanrahan JP. A cumulative dose study of levalbuterol and racemic albuterol administered by hydrofluoroalkane-134a metered-dose inhaler in asthmatic subjects. *J Allergy Clin Immunol* 2008;122:544-9.
358. Tuomisto L, Jarvinen V, Laitinen J, Erhola M, Kaila M, Brander P. Asthma Programme in Finland: the quality of primary care spirometry is good. *Prim Care Respir J* 2008;17:226-31.
359. Turpeinen M, Nikander K, Pelkonen AS, Syvanen P, Sorva R, Raitio H, Malmberg P, Juntunen-Backman K, Haahtela T. Daily versus as-needed inhaled corticosteroid for mild persistent asthma (The Helsinki early intervention childhood asthma study). *Arch Dis Child* 2008;93:654-9.
360. Ulrik CS, Diamant Z. Effect of montelukast on excessive airway narrowing response to methacholine in adult asthmatic patients not on controller therapy. *Allergy Asthma Proc* 2009;30:64-8.
361. Urso DL, Vincenzo D, Pignataro E, Aciri P, Cucinotta G. Diagnosis and treatment of refractory asthma. *Eur Rev Med Pharmacol Sci* 2008;12:315-20.
362. Valerio MA, Parker EA, Couper MP, Connell CM, Janz NK. Demographic and clinical characteristics predictive of asthma diary use among women. *J Asthma* 2008;45:357-61.
363. van Dalen C, Harding E, Parkin J, Cheng S, Pearce N, Douwes J. Suitability of forced expiratory volume in 1 second/forced vital capacity vs percentage of predicted forced expiratory volume in 1 second for the classification of asthma severity in adolescents. *Arch Pediatr Adolesc Med* 2008;162:1169-74.
364. van Kampen V, Rabstein S, Sander I, Merget R, Bruning T, Broding HC, Keller C, Musken H, Overlack A, Schultze-Werninghaus G, Walusiak J, Raulf-Heimsoth M. Prediction of challenge test results by flour-specific IgE and skin prick test in symptomatic bakers. *Allergy* 2008;63:897-902.
365. van Rensen EL, Evertse CE, van Schadewijk WA, van Wijngaarden S, Ayre G, Mauad T, Hiemstra PS, Sterk PJ, Rabe KF. Eosinophils in bronchial mucosa of asthmatics after allergen challenge: effect of anti-IgE treatment. *Allergy* 2009;64:72-80.
366. van Wonderen KE, Mohrs J, Ijff M, Bindels PJ, ter Riet G. Two simple strategies (adding a logo or a senior faculty's signature) failed to improve patient participation rates in a cohort study: randomized trial. *J Clin Epidemiol* 2008;61:971-7.
367. van Wonderen KE, van der Mark LB, Mohrs J, Geskus RB, van der Wal WM, van Aalderen WM, Bindels PJ, ter Riet G. Prediction and treatment of asthma in preschool children at risk: study design and baseline data of a prospective cohort study in general practice (ARCADE). *BMC Pulm Med* 2009;9:13.
368. Vangveeravong M. A comparative study of efficacy of salbutamol via metered dose inhaler with volumatic spacer and via dry powder inhaler, easyhaler, to nebulization in mild to moderate severity acute asthma exacerbation in childhood. *J Med Assoc Thai* 2008;91 Suppl 3:S115-23.
369. Varma S, Jenkins T, Wendler D. How do children and parents make decisions about pediatric clinical research? *J Pediatr Hematol Oncol* 2008;30:823-8.

370. Vliagoftis H, Kouranos VD, Betsi GI, Falagas ME. Probiotics for the treatment of allergic rhinitis and asthma: systematic review of randomized controlled trials. *Ann Allergy Asthma Immunol* 2008;101:570-9.
371. Volovitz B, Bilavsky E, Nussinovitch M. Effectiveness of high repeated doses of inhaled budesonide or fluticasone in controlling acute asthma exacerbations in young children. *J Asthma* 2008;45:561-7.
372. Walter MJ, Castro M, Kunselman SJ, Chinchilli VM, Reno M, Ramkumar TP, Avila PC, Boushey HA, Ameredes BT, Bleecker ER, Calhoun WJ, Cherniack RM, Craig TJ, Denlinger LC, Israel E, Fahy JV, Jarjour NN, Kraft M, Lazarus SC, Lemanske RF, Jr., Martin RJ, Peters SP, Ramsdell JW, Sorkness CA, Sutherland ER, Szeffler SJ, Wasserman SI, Wechsler ME. Predicting worsening asthma control following the common cold. *Eur Respir J* 2008;32:1548-54.
373. Watson RR, Zibadi S, Rafatpanah H, Jabbari F, Ghasemi R, Ghafari J, Afrasiabi H, Foo LY, Faridhosseini R. Oral administration of the purple passion fruit peel extract reduces wheeze and cough and improves shortness of breath in adults with asthma. *Nutr Res* 2008;28:166-71.
374. Weatherall M, James K, Clay J, Perrin K, Masoli M, Wijesinghe M, Beasley R. Dose-response relationship for risk of non-vertebral fracture with inhaled corticosteroids. *Clin Exp Allergy* 2008;38:1451-8.
375. Weisgerber M, Webber K, Meurer J, Danduran M, Berger S, Flores G. Moderate and vigorous exercise programs in children with asthma: safety, parental satisfaction, and asthma outcomes. *Pediatr Pulmonol* 2008;43:1175-82.
376. Wenzel SE, Barnes PJ, Bleecker ER, Bousquet J, Busse W, Dahlen SE, Holgate ST, Meyers DA, Rabe KF, Antczak A, Baker J, Horvath I, Mark Z, Bernstein D, Kerwin E, Schlenker-Herceg R, Lo KH, Watt R, Barnathan ES, Chanez P. A randomized, double-blind, placebo-controlled study of tumor necrosis factor-alpha blockade in severe persistent asthma. *Am J Respir Crit Care Med* 2009;179:549-58.
377. Wickens K, Black PN, Stanley TV, Mitchell E, Fitzharris P, Tannock GW, Purdie G, Crane J. A differential effect of 2 probiotics in the prevention of eczema and atopy: a double-blind, randomized, placebo-controlled trial. *J Allergy Clin Immunol* 2008;122:788-94.
378. Willems DC, Joore MA, Hendriks JJ, Nieman FH, Severens JL, Wouters EF. The effectiveness of nurse-led telemonitoring of asthma: results of a randomized controlled trial. *J Eval Clin Pract* 2008;14:600-9.
379. Williamson PA, Menzies D, Nair A, Tutuncu A, Lipworth BJ. A proof-of-concept study to evaluate the antiinflammatory effects of a novel soluble cyclodextrin formulation of nebulized budesonide in patients with mild to moderate asthma. *Ann Allergy Asthma Immunol* 2009;102:161-7.
380. Wolzt M, de la Pena A, Berclaz PY, Tibaldi FS, Gates JR, Muchmore DB. AIR inhaled insulin versus subcutaneous insulin: pharmacokinetics, glucodynamics, and pulmonary function in asthma. *Diabetes Care* 2008;31:735-40.
381. Xu J, Sabarinath SN, Derendorf H. Cortisol suppression as a surrogate marker for inhaled corticosteroid-induced growth retardation in children. *Eur J Pharm Sci* 2009;36:110-21.
382. Yamakage M, Iwasaki S, Jeong SW, Satoh J, Namiki A. Beta-1 selective adrenergic antagonist landiolol and esmolol can be safely used in patients with airway hyperreactivity. *Heart Lung* 2009;38:48-55.
383. Yawn BP. Factors accounting for asthma variability: achieving optimal symptom control for individual patients. *Prim Care Respir J* 2008;17:138-47.

384. Yen IH, Yelin E, Katz P, Eisner MD, Blanc PD. Impact of perceived neighborhood problems on change in asthma-related health outcomes between baseline and follow-up. *Health Place* 2008;14:468-77.
385. Yilmaz O, Sogut A, Kose U, Sakinci O, Yuksel H. Influence of ambulatory inhaled treatment with different devices on the duration of acute asthma findings in children. *J Asthma* 2009;46:191-3.
386. Zeldin Y, Kidon MI, Magen E, Bibi H, Cohen A, Waisel Y, Kivity S. Impact of specific allergen sensitization on the prevalence of asthma in patients with allergic rhinitis from adjacent distinct geographic areas. *Ann Allergy Asthma Immunol* 2008;101:30-4.
387. Zervas E, Oikonomidou E, Kainis E, Kokkala M, Petroheilou K, Gaga M. Control of asthma. *Ther Adv Respir Dis* 2008;2:141-8.
388. Zetterstrom O, Dahl R, Lindqvist A, Olsson P. Comparable morning versus evening administration of once-daily mometasone furoate dry powder inhaler. *Respir Med* 2008;102:1406-11.
389. Zhou X, Ding FM, Lin JT, Yin KS. Validity of asthma control test for asthma control assessment in Chinese primary care settings. *Chest* 2009;135:904-10.